

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, England and Wales 2001-2012 ^{1,2,3,4}

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	58,695	56,951	54,857	51,457	49,213	46,325	44,928	43,462	41,445	40,721	37,723	37,423	563,200
	2	Cerebrovascular diseases	22,242	22,590	21,997	20,181	19,267	18,741	17,864	17,805	16,888	16,909	14,335	14,116	222,935
	3	Malignant neoplasm of trachea, bronchus and lung	17,667	17,494	17,141	16,870	16,791	16,974	16,961	17,233	17,053	16,807	16,881	16,698	204,570
	4	Chronic lower respiratory diseases	13,879	14,012	14,544	13,390	13,593	13,003	13,080	13,777	13,165	13,137	13,539	14,378	163,497
	5	Influenza and pneumonia	12,260	12,504	13,158	11,983	12,175	11,486	11,253	11,547	11,193	10,620	11,072	11,063	140,314
	6	Malignant neoplasm of prostate	8,936	9,004	9,160	9,167	9,017	9,057	9,230	9,157	9,402	9,638	9,671	9,698	111,137
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	7,484	7,549	7,498	7,567	7,574	7,472	7,417	7,696	7,559	7,700	7,578	7,841	90,935
	8	Dementia and Alzheimer's disease	5,024	5,112	5,150	4,993	5,076	5,281	6,063	6,687	6,709	7,347	11,995	13,984	83,421
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	5,589	5,774	5,879	5,670	5,615	5,779	5,872	5,906	5,922	5,826	6,066	6,301	70,199
	10	Aortic aneurysm and dissection	5,474	5,497	5,414	5,248	4,881	4,775	4,676	4,415	4,122	4,129	3,686	3,634	55,951
18	Malignant neoplasm of bladder	2,955	2,920	2,901	2,842	2,765	2,845	2,923	2,935	3,021	2,963	3,040	3,137	35,247	

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	47,482	46,231	45,019	41,144	38,981	36,294	34,982	33,523	30,725	29,475	26,712	26,741	437,309
	2	Cerebrovascular diseases	36,427	36,578	35,836	32,776	31,362	29,648	28,733	28,641	26,707	26,454	21,642	21,730	356,534
	3	Influenza and pneumonia	19,458	20,304	21,244	18,758	19,252	17,205	16,930	17,421	15,775	14,903	15,049	15,075	211,374
	4	Dementia and Alzheimer's disease	12,123	12,461	13,309	12,575	12,788	12,909	14,582	16,154	15,909	17,759	25,767	29,873	196,209
	5	Chronic lower respiratory diseases	11,819	12,221	13,252	11,977	12,605	12,283	12,588	13,125	12,254	12,848	13,209	14,155	152,336
	6	Malignant neoplasm of trachea, bronchus and lung	11,183	11,394	11,608	11,450	11,900	12,358	12,699	13,093	12,965	13,170	13,267	13,575	148,662
	7	Malignant neoplasms of breast	11,574	11,491	11,219	10,965	10,994	10,942	10,640	10,717	10,374	10,290	10,328	10,311	129,845
	8	Heart failure and complications and ill-defined heart disease	8,088	8,413	8,362	7,366	7,209	6,563	6,606	6,877	6,536	6,461	4,749	5,065	82,295
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	6,679	6,740	6,589	6,596	6,541	6,550	6,613	6,579	6,375	6,402	6,428	6,600	78,692
	10	Diseases of the urinary system	4,288	4,674	5,163	5,359	5,972	6,181	6,468	6,921	6,987	7,365	5,429	5,570	70,377
29	Malignant neoplasm of bladder	1,480	1,502	1,507	1,462	1,425	1,459	1,437	1,521	1,454	1,409	1,465	1,509	17,630	

1 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

2 Data for England and Wales includes deaths of non-residents

3 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

4 Rankings are based on the grand total number of deaths for that cause of death

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Greater London, 2001-2012^{1,2,3,4,5}

Sex	Rank	Cause	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Males	1	Ischaemic heart diseases	6,048	5,750	5,505	5,170	4,864	4,479	4,465	4,299	4,047	3,896	3,513	3,612	55,648
	2	Cerebrovascular diseases	2,306	2,224	2,167	2,014	1,858	1,827	1,666	1,670	1,612	1,593	1,380	1,344	21,661
	3	Malignant neoplasm of trachea, bronchus and lung	2,041	1,898	1,877	1,851	1,721	1,791	1,708	1,720	1,693	1,576	1,704	1,703	21,283
	4	Chronic lower respiratory diseases	1,607	1,538	1,627	1,483	1,542	1,392	1,372	1,424	1,353	1,262	1,368	1,479	17,447
	5	Influenza and pneumonia	1,767	1,658	1,761	1,511	1,463	1,283	1,242	1,328	1,186	1,112	1,115	1,224	16,650
	6	Malignant neoplasm of prostate	931	929	890	939	953	850	858	861	885	927	904	871	10,798
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	758	785	746	685	661	711	685	699	745	679	655	737	8,546
	8	Malignant neoplasms of lymphoid, haematopoietic and related tissue	666	672	626	618	639	608	642	561	604	580	645	604	7,465
	9	Heart failure and complications and ill-defined heart disease	538	594	722	633	676	635	604	690	654	723	493	497	7,459
	10	Dementia and Alzheimer's disease	436	457	441	425	454	480	489	571	593	628	1,088	1,277	7,339
	19	Malignant neoplasm of bladder	303	303	283	268	295	286	273	283	297	243	286	288	3,408

Sex	Rank	Cause	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Females	1	Ischaemic heart diseases	4,637	4,568	4,453	4,003	3,787	3,348	3,310	3,271	2,975	2,733	2,479	2,428	41,992
	2	Cerebrovascular diseases	3,460	3,196	3,433	2,983	2,900	2,558	2,390	2,379	2,243	2,164	1,810	1,784	31,300
	3	Influenza and pneumonia	2,675	2,678	2,743	2,371	2,209	1,950	1,799	1,921	1,656	1,580	1,525	1,575	24,682
	4	Dementia and Alzheimer's disease	1,147	1,180	1,141	1,080	1,009	1,004	1,119	1,282	1,249	1,436	2,150	2,462	16,259
	5	Malignant neoplasm of trachea, bronchus and lung	1,229	1,232	1,260	1,204	1,295	1,200	1,341	1,269	1,274	1,271	1,293	1,315	15,183
	6	Chronic lower respiratory diseases	1,274	1,304	1,369	1,295	1,303	1,221	1,185	1,238	1,115	1,210	1,223	1,402	15,139
	7	Malignant neoplasms of breast	1,332	1,307	1,296	1,234	1,182	1,155	1,073	1,141	1,127	1,101	1,097	1,066	14,111
	8	Heart failure and complications and ill-defined heart disease	990	1,134	1,173	1,083	1,037	961	987	1,019	1,002	1,028	826	938	12,178
	9	Diseases of the urinary system	588	646	777	748	779	791	729	811	729	795	523	536	8,452
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	673	717	676	734	656	673	630	673	640	630	628	627	7,957
	31	Malignant neoplasm of bladder	139	131	153	149	121	133	136	140	126	123	137	142	1,630

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following [link](#)

5 Rankings are based on the grand total number of deaths for that cause of death

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Camden, 2001-2012 ^{1,2,3,4,5,6,7,8}

Sex	Rank	Cause	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	160	158	147	156	157	124	121	122	111	92	85	77	1,510
	2	Malignant neoplasm of trachea, bronchus and lung	59	38	57	48	53	35	44	47	47	38	47	52	565
	3	Cerebrovascular diseases	58	44	49	57	60	36	43	31	37	30	34	30	509
	4	Chronic lower respiratory diseases	27	41	26	33	41	30	38	39	27	35	37	50	424
	5	Influenza and pneumonia	41	44	42	30	36	28	27	28	24	21	14	26	361
	6	Cirrhosis and other diseases of liver	30	34	25	21	16	33	27	27	9	18	19	13	272
	7	Malignant neoplasm of prostate	22	17	20	19	23	15	28	22	22	22	11	22	243
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	22	29	13	20	18	20	15	17	13	21	17	21	226
	9	Suicide and injury/poisoning of undetermined intent	14	16	19	23	15	16	21	15	16	9	12	7	183
	10	Dementia and Alzheimer's disease	9	12	8	19	9	10	8	16	7	13	30	21	162
	22*	Malignant neoplasm of bladder	6	5	3	4	9	9	8	7	11	2	2	7	73

Sex	Rank	Cause	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	101	108	128	86	97	88	90	72	56	57	44	41	968
	2	Cerebrovascular diseases	85	61	55	64	49	51	55	42	47	30	35	39	613
	3	Malignant neoplasm of trachea, bronchus and lung	31	34	26	39	34	38	36	27	30	31	37	19	382
	4	Influenza and pneumonia	51	53	34	28	28	24	29	30	29	23	28	23	380
	5	Chronic lower respiratory diseases	32	29	29	29	25	34	30	33	27	23	35	38	364
	6	Dementia and Alzheimer's disease	35	24	25	35	33	32	29	22	18	33	32	42	360
	7	Malignant neoplasms of breast	37	29	25	33	26	27	35	30	21	20	21	30	334
	8	Heart failure and complications and ill-defined heart disease	25	17	18	24	15	21	18	16	13	25	7	6	205
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	13	24	20	13	17	19	14	10	16	12	16	18	192
	10	Diseases of the urinary system	12	16	19	19	12	9	17	17	4	18	16	2	161
	30*	Malignant neoplasm of bladder	0	0	4	2	1	5	2	7	5	2	6	2	36

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website:

www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Hackney, 2001-2012^{1,2,3,4,5,6,7,8}

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	143	132	150	123	115	133	124	111	101	102	83	83	1400
	2	Malignant neoplasm of trachea, bronchus and lung	47	56	60	54	35	66	30	41	43	40	38	57	567
	3	Cerebrovascular diseases	41	45	48	49	34	44	39	35	35	40	39	33	482
	4	Chronic lower respiratory diseases	38	31	39	26	44	36	35	40	24	28	45	40	426
	5	Influenza and pneumonia	20	34	34	34	24	20	28	27	20	23	20	18	302
	6	Malignant neoplasm of prostate	22	19	24	25	22	18	13	14	15	18	17	17	224
	7	Cirrhosis and other diseases of liver	16	19	21	22	20	16	11	18	14	14	13	16	200
	8	Suicide and injury/poisoning of undetermined intent	21	14	14	16	14	17	11	27	20	18	10	10	192
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	17	24	6	13	14	17	11	13	11	16	16	21	179
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	11	17	16	15	20	12	7	10	16	14	8	17	163
	22	Malignant neoplasm of bladder	7	7	7	5	8	5	2	6	5	1	6	12	71

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	106	104	89	84	81	71	65	82	71	69	59	52	933
	2	Cerebrovascular diseases	66	63	51	55	50	60	30	44	46	42	28	25	560
	3	Influenza and pneumonia	41	29	40	39	40	30	23	29	29	28	23	29	380
	4	Malignant neoplasm of trachea, bronchus and lung	24	26	22	24	27	26	33	29	34	32	30	29	336
	5	Chronic lower respiratory diseases	28	27	28	25	29	26	34	25	19	32	28	27	328
	6	Malignant neoplasms of breast	24	33	27	28	21	24	23	27	17	15	18	15	272
	7	Dementia and Alzheimer's disease	12	18	23	18	15	11	21	18	18	17	37	29	237
	8	Diseases of the urinary system	6	20	13	16	10	21	15	15	19	14	10	8	167
	9	Heart failure and complications and ill-defined heart disease	20	18	13	17	13	15	15	11	10	13	12	6	163
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	8	6	16	9	5	13	14	15	9	13	14	13	135
	28	Malignant neoplasm of bladder	4	3	5	1	2	0	4	4	3	3	4	4	37

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Hammersmith and Fulham, 2001-2012^{1,2,3,4,5,6,7,8}

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	101	89	99	91	84	65	80	76	56	66	76	60	943
	2	Malignant neoplasm of trachea, bronchus and lung	48	46	51	34	34	33	35	32	34	32	33	34	446
	3	Chronic lower respiratory diseases	44	24	39	32	35	21	38	29	40	22	33	31	388
	4	Cerebrovascular diseases	44	37	46	30	24	28	24	22	19	18	30	30	352
	5	Influenza and pneumonia	26	33	37	26	26	19	21	24	16	18	19	20	285
	6	Cirrhosis and other diseases of liver	17	17	17	24	20	19	13	16	19	12	18	13	205
	7	Malignant neoplasm of prostate	20	12	15	23	12	10	20	5	19	13	22	9	180
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	9	16	16	13	15	13	15	14	15	13	17	16	172
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	17	14	15	12	19	11	19	11	13	3	10	11	155
	10	Suicide and injury/poisoning of undetermined intent	18	13	4	15	15	11	10	15	10	13	11	15	150
	19	Malignant neoplasm of bladder	5	7	3	6	8	11	4	10	8	6	3	4	75

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	83	80	58	67	63	64	54	56	47	49	43	38	702
	2	Cerebrovascular diseases	65	50	45	48	45	48	44	48	41	33	35	20	522
	3	Influenza and pneumonia	41	41	43	38	35	23	31	26	23	25	26	19	371
	4	Malignant neoplasm of trachea, bronchus and lung	26	36	29	30	38	24	23	35	22	27	36	35	361
	5	Chronic lower respiratory diseases	24	18	23	25	28	31	15	30	26	31	27	25	303
	6	Malignant neoplasms of breast	27	21	26	22	20	16	21	21	21	18	23	20	256
	7	Dementia and Alzheimer's disease	10	9	11	9	11	14	14	21	23	35	50	48	255
	8	Heart failure and complications and ill-defined heart disease	13	21	32	20	23	12	15	18	10	10	6	11	191
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	14	19	10	11	14	12	8	17	15	11	18	16	165
	10*	Diseases of the urinary system	6	10	9	10	7	7	11	14	9	12	5	8	108
	10*	Malignant neoplasms of lymphoid, haematopoietic and related tissue	11	6	11	11	9	11	13	10	6	7	8	5	108
	29*	Malignant neoplasm of bladder	1	1	3	5	1	3	5	5	2	3	1	3	33

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Haringey, 2001-2012 ^{1,2,3,4,5,6,7,8}

														<i>Deaths</i>	
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	147	163	157	126	128	99	133	123	103	97	83	88	1,447
	2	Cerebrovascular diseases	58	74	58	55	50	55	45	42	44	39	26	40	586
	3	Malignant neoplasm of trachea, bronchus and lung	49	45	38	48	39	58	39	41	48	29	48	55	537
	4	Influenza and pneumonia	43	43	51	43	25	26	33	26	29	17	19	28	383
	5	Chronic lower respiratory diseases	48	42	30	36	33	29	33	22	22	25	20	37	377
	6	Malignant neoplasm of prostate	26	22	25	22	20	12	33	19	28	25	26	18	276
	7	Cirrhosis and other diseases of liver	15	15	14	21	22	26	22	18	23	28	13	18	235
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	17	12	12	19	14	24	20	21	16	19	20	20	214
	9	Suicide and injury/poisoning of undetermined intent	18	19	17	14	20	14	15	20	17	18	14	23	209
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	15	19	18	17	16	19	18	19	14	20	16	7	198
	21	Malignant neoplasm of bladder	4	8	11	8	5	4	12	5	4	7	9	12	89

														<i>Deaths</i>	
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	109	105	106	88	76	83	81	76	75	76	56	50	981
	2	Cerebrovascular diseases	99	83	78	69	54	52	60	37	41	46	36	40	695
	3	Influenza and pneumonia	69	69	59	52	48	34	31	39	25	34	29	34	523
	4	Malignant neoplasms of breast	37	28	36	30	36	23	32	36	33	33	33	35	392
	5	Malignant neoplasm of trachea, bronchus and lung	27	28	25	25	30	19	27	29	25	41	32	21	329
	6	Heart failure and complications and ill-defined heart disease	32	30	34	26	14	24	21	21	30	19	31	40	322
	7	Chronic lower respiratory diseases	23	24	22	26	25	19	27	19	24	17	19	31	276
	8	Dementia and Alzheimer's disease	22	28	22	15	18	21	19	7	15	26	33	29	255
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	25	14	19	18	8	18	19	15	19	25	15	21	216
	10	Diseases of the urinary system	19	20	22	17	10	10	12	11	7	14	9	10	161
	35*	Malignant neoplasm of bladder	2	8	3	2	2	1	0	1	2	1	3	2	27

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Islington, 2001-2012 ^{1,2,3,4,5,6,7,8}

													<i>Deaths</i>		
Sex	Rank	Group description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	175	139	119	157	117	117	121	101	116	88	93	77	1,420
	2	Malignant neoplasm of trachea, bronchus and lung	68	63	56	53	61	52	42	56	43	41	47	49	631
	3	Cerebrovascular diseases	43	36	53	30	34	48	47	31	41	37	34	27	461
	4	Chronic lower respiratory diseases	50	36	43	34	38	25	23	43	40	29	36	41	438
	5	Influenza and pneumonia	38	36	30	32	30	28	31	37	19	21	29	37	368
	6	Cirrhosis and other diseases of liver	15	22	16	9	16	24	16	19	18	25	17	14	211
	7	Malignant neoplasm of prostate	18	22	18	19	16	18	11	15	17	17	18	19	208
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	21	22	19	15	7	16	14	15	25	14	14	23	205
	9	Suicide and injury/poisoning of undetermined intent	16	23	19	26	21	15	12	13	15	18	10	9	197
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	12	9	8	24	15	12	17	5	12	10	18	12	154
	19	Malignant neoplasm of bladder	5	13	8	11	9	4	1	5	6	3	4	9	78

													<i>Deaths</i>		
Sex	Rank	Group description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	97	86	111	90	92	69	73	60	65	46	35	57	881
	2	Cerebrovascular diseases	64	54	59	49	68	42	59	48	35	31	34	30	573
	3	Malignant neoplasm of trachea, bronchus and lung	31	40	28	36	34	35	37	33	37	37	53	33	434
	4	Influenza and pneumonia	43	39	39	42	43	29	29	28	29	25	26	23	395
	5	Chronic lower respiratory diseases	29	38	26	36	28	26	34	35	25	24	30	26	357
	6	Malignant neoplasms of breast	24	28	29	25	21	29	26	24	35	30	17	11	299
	7	Dementia and Alzheimer's disease	24	16	17	21	18	19	20	23	18	22	36	45	279
	8	Heart failure and complications and ill-defined heart disease	15	23	15	19	17	17	12	14	8	14	7	9	170
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	15	15	10	11	15	14	11	13	19	10	12	10	155
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	12	18	18	13	9	11	14	8	11	14	12	13	153
		32*	Malignant neoplasm of bladder	2	1	4	4	1	3	1	4	5	3	2	1

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Kensington and Chelsea, 2001-2012 ^{1,2,3,4,5,6,7,8}

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	99	78	101	80	78	70	62	64	58	54	40	43	827
	2	Malignant neoplasm of trachea, bronchus and lung	31	49	26	21	30	35	33	29	37	24	37	34	386
	3	Cerebrovascular diseases	30	39	39	34	24	27	24	32	34	38	31	24	376
	4	Chronic lower respiratory diseases	27	25	29	34	28	23	24	24	16	24	29	35	318
	5	Influenza and pneumonia	26	18	16	19	20	22	22	15	11	21	21	21	232
	6	Malignant neoplasm of prostate	18	16	19	14	13	17	14	15	17	20	13	17	193
	7	Heart failure and complications and ill-defined heart disease	11	13	13	18	18	13	17	25	11	17	15	10	181
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	20	13	16	16	14	9	16	15	17	17	11	13	177
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	14	10	15	13	16	12	15	11	11	13	10	11	151
	10	Dementia and Alzheimer's disease	8	7	9	10	10	5	11	11	10	5	22	24	132
	17	Malignant neoplasm of bladder	8	5	4	7	6	3	5	6	13	7	7	5	76

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	59	72	57	52	53	35	60	45	34	39	37	38	581
	2	Cerebrovascular diseases	46	33	47	52	47	32	36	33	36	28	34	28	452
	3	Influenza and pneumonia	35	38	27	31	35	40	24	27	17	20	19	23	336
	4	Malignant neoplasm of trachea, bronchus and lung	19	17	30	23	28	15	22	23	24	24	28	25	278
	5	Malignant neoplasms of breast	24	25	18	22	13	24	20	20	23	24	28	21	262
	6	Chronic lower respiratory diseases	23	25	24	22	23	22	12	18	24	19	18	25	255
	7	Dementia and Alzheimer's disease	17	22	20	14	20	6	16	13	18	22	32	34	234
	8	Heart failure and complications and ill-defined heart disease	15	13	11	27	24	17	24	19	14	17	16	15	212
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	16	11	15	12	13	8	15	17	14	5	17	15	158
	10	Diseases of the urinary system	8	10	9	9	11	12	13	11	12	7	9	13	124
	37*	Malignant neoplasm of bladder	2	1	1	3	1	1	3	1	4	2	0	2	21

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Lambeth, 2001-2012 ^{1,2,3,4,5,6,7,8}

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	185	165	137	152	136	145	137	124	115	103	83	110	1,592
	2	Malignant neoplasm of trachea, bronchus and lung	81	75	60	59	66	66	58	70	66	54	63	55	773
	3	Cerebrovascular diseases	85	62	70	74	79	68	47	50	42	44	39	43	703
	4	Chronic lower respiratory diseases	56	59	58	59	51	63	45	46	42	41	52	48	620
	5	Influenza and pneumonia	42	54	48	30	33	34	34	33	32	17	30	35	422
	6	Malignant neoplasm of prostate	22	38	20	21	27	39	24	33	34	26	27	29	340
	7	Cirrhosis and other diseases of liver	27	25	24	27	26	32	37	21	19	15	20	15	288
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	19	25	25	21	19	21	20	18	19	20	15	15	237
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	27	21	14	14	19	10	16	20	22	23	23	17	226
	10	Suicide and injury/poisoning of undetermined intent	22	17	19	21	17	22	16	19	23	8	20	15	219
	26	Malignant neoplasm of bladder	10	7	4	5	9	8	4	6	9	3	5	3	73

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	123	116	109	121	91	92	80	84	85	73	58	56	1,088
	2	Cerebrovascular diseases	89	77	88	105	104	78	61	72	66	51	27	49	867
	3	Influenza and pneumonia	54	48	60	47	45	37	35	37	39	37	43	26	508
	4	Malignant neoplasm of trachea, bronchus and lung	41	47	45	35	56	40	43	31	46	34	30	45	493
	5	Chronic lower respiratory diseases	52	42	46	37	39	26	43	40	41	40	43	42	491
	6	Dementia and Alzheimer's disease	43	34	25	30	35	29	34	38	36	49	46	61	460
	7	Malignant neoplasms of breast	37	41	31	34	35	28	30	34	32	32	29	29	392
	8	Diseases of the urinary system	13	17	18	23	24	21	20	23	33	20	16	17	245
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	13	16	23	21	18	12	24	22	13	18	19	23	222
	10	Heart failure and complications and ill-defined heart disease	25	15	25	17	19	17	14	12	19	9	9	9	190
	34	Malignant neoplasm of bladder	3	3	4	7	1	4	4	3	3	2	3	1	38

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Lewisham, 2001-2012 ^{1,2,3,4,5,6,7,8}

			<i>Deaths</i>												
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	201	181	180	179	179	174	169	153	155	130	92	107	1,900
	2	Cerebrovascular diseases	84	77	75	82	75	43	63	60	61	51	50	42	763
	3	Malignant neoplasm of trachea, bronchus and lung	67	62	66	60	67	63	60	60	59	55	75	54	748
	4	Chronic lower respiratory diseases	82	72	65	69	64	50	59	57	49	50	43	58	718
	5	Influenza and pneumonia	83	57	72	66	49	45	41	65	33	38	48	37	634
	6	Malignant neoplasm of prostate	38	34	39	34	31	24	26	28	25	24	32	25	360
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	35	19	27	22	16	23	22	23	30	22	30	20	289
	8	Dementia and Alzheimer's disease	10	23	21	18	22	12	13	22	16	25	35	57	274
	9	Cirrhosis and other diseases of liver	26	25	24	24	23	19	13	24	19	22	16	26	261
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	28	19	19	19	13	14	13	24	16	19	19	25	228
	20	Malignant neoplasm of bladder	9	8	13	12	6	7	9	8	10	5	11	7	105

			<i>Deaths</i>												
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	160	165	171	153	174	146	130	129	103	82	73	75	1,561
	2	Cerebrovascular diseases	117	125	116	111	102	91	93	89	87	97	59	68	1,155
	3	Influenza and pneumonia	119	117	125	114	80	75	67	70	57	57	55	47	983
	4	Dementia and Alzheimer's disease	42	52	52	39	48	33	51	45	40	40	100	73	615
	5	Chronic lower respiratory diseases	53	43	55	54	50	40	44	55	35	43	43	39	554
	6	Malignant neoplasm of trachea, bronchus and lung	51	47	43	50	39	46	42	50	39	38	49	42	536
	7	Malignant neoplasms of breast	44	55	49	43	48	34	31	36	35	30	41	39	485
	8	Diseases of the urinary system	28	24	32	21	35	41	30	32	27	33	29	24	356
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	21	17	25	30	18	22	18	22	23	20	22	21	259
	10	Heart failure and complications and ill-defined heart disease	16	34	12	16	9	12	12	14	13	34	31	26	229
	30*	Malignant neoplasm of bladder	5	2	5	4	1	7	6			4	5	4	43

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Newham, 2001-2012 ^{1,2,3,4,5,6,7,8}

														<i>Deaths</i>	
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	223	190	154	146	160	136	114	150	110	133	98	121	1,735
	2	Cerebrovascular diseases	60	73	64	50	51	51	59	67	58	42	38	44	657
	3	Malignant neoplasm of trachea, bronchus and lung	69	61	51	60	61	54	38	47	48	46	53	52	640
	4	Chronic lower respiratory diseases	54	54	37	38	48	55	40	49	52	44	36	57	564
	5	Influenza and pneumonia	62	40	53	48	55	36	38	31	34	27	26	28	478
	6	Cirrhosis and other diseases of liver	19	26	25	25	19	24	19	24	25	25	28	13	272
	7	Malignant neoplasm of prostate	21	23	19	24	17	22	25	32	20	21	18	26	268
	8	Dementia and Alzheimer's disease	8	13	16	23	13	16	20	17	13	15	26	39	219
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	20	23	17	15	17	22	14	23	20	13	12	21	217
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	31	8	12	17	9	20	11	15	20	13	19	10	185
	18	Malignant neoplasm of bladder	15	10	9	7	7	13	8	7	4	9	7	6	102

														<i>Deaths</i>	
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	121	133	113	112	121	83	107	75	68	80	57	52	1,122
	2	Cerebrovascular diseases	83	84	77	70	91	72	62	53	59	60	42	35	788
	3	Influenza and pneumonia	72	88	102	66	63	47	41	41	33	32	35	40	660
	4	Malignant neoplasm of trachea, bronchus and lung	41	32	35	40	39	42	44	28	36	32	30	40	439
	5	Chronic lower respiratory diseases	28	29	35	46	41	42	27	34	37	38	38	39	434
	6	Dementia and Alzheimer's disease	27	35	40	31	28	26	27	31	33	30	47	60	415
	7	Malignant neoplasms of breast	41	24	34	35	18	33	25	25	30	27	27	32	351
	8	Diseases of the urinary system	20	14	26	17	24	24	29	20	21	29	16	11	251
	9	Heart failure and complications and ill-defined heart disease	17	21	16	20	29	24	23	17	22	16	8	15	228
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	23	16	15	14	13	18	13	16	14	8	17	16	183
	29	Malignant neoplasm of bladder	8	4	3	3	3	5	7	3	4	0	1	4	45

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Southwark, 2001-2012 ^{1,2,3,4,5,6,7,8}

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	179	167	148	139	151	115	123	128	98	98	109	88	1,543
	2	Malignant neoplasm of trachea, bronchus and lung	68	75	79	73	65	58	63	75	66	58	50	54	784
	3	Chronic lower respiratory diseases	53	59	66	49	80	61	58	62	54	52	63	47	704
	4	Cerebrovascular diseases	68	72	66	54	46	52	50	47	41	42	37	33	608
	5	Influenza and pneumonia	45	46	47	43	31	33	29	38	32	23	36	28	431
	6	Cirrhosis and other diseases of liver	26	22	25	19	24	32	31	21	22	18	22	17	279
	7	Malignant neoplasm of prostate	15	23	29	13	19	10	21	20	30	25	20	23	248
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	14	19	19	17	37	20	18	24	20	23	12	21	244
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	21	26	24	17	19	24	22	21	15	17	21	16	243
	10	Suicide and injury/poisoning of undetermined intent	16	19	24	17	18	16	20	16	15	16	16	19	212
	21	Malignant neoplasm of bladder	7	8	7	8	10	4	6	9	9	8	6	14	96

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	130	122	136	121	90	97	98	77	68	79	56	57	1,131
	2	Cerebrovascular diseases	81	87	80	76	80	49	61	56	62	53	40	41	766
	3	Chronic lower respiratory diseases	46	63	52	52	56	51	51	46	39	53	46	38	593
	4	Influenza and pneumonia	68	63	51	43	59	40	36	44	36	39	38	31	548
	5	Malignant neoplasm of trachea, bronchus and lung	44	44	43	45	53	33	47	56	39	39	50	39	532
	6	Dementia and Alzheimer's disease	20	30	28	31	23	25	28	30	37	39	56	68	415
	7	Malignant neoplasms of breast	25	44	32	34	32	38	26	38	31	32	32	26	390
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	26	24	14	22	18	28	16	22	14	27	16	21	248
	9	Diseases of the urinary system	16	15	28	18	20	23	21	23	23	20	11	7	225
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	16	22	17	10	19	13	15	18	11	13	8	19	181
	25*	Malignant neoplasm of bladder	6	2	6	7	4	6	5	4	5	6	6	4	61

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Tower Hamlets, 2001-2012 ^{1,2,3,4,5,6,7,8}

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	156	173	164	132	134	133	109	131	110	98	81	92	1,513
	2	Malignant neoplasm of trachea, bronchus and lung	59	83	66	59	51	61	53	49	49	51	50	42	673
	3	Chronic lower respiratory diseases	55	47	42	42	57	53	41	49	39	38	39	45	547
	4	Cerebrovascular diseases	53	51	44	53	47	42	41	40	40	35	31	44	521
	5	Influenza and pneumonia	37	32	35	19	28	30	17	27	9	18	23	20	295
	6	Cirrhosis and other diseases of liver	15	19	21	17	14	15	14	11	12	18	22	17	195
	7	Suicide and injury/poisoning of undetermined intent	15	18	15	13	8	18	27	12	11	16	12	18	183
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	21	17	15	10	13	19	11	20	19	11	9	16	181
	9	Malignant neoplasm of prostate	21	21	12	19	12	14	14	12	15	11	14	14	179
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	14	15	12	6	17	9	11	11	10	8	17	8	138
	21	Malignant neoplasm of bladder	10	7	9	5	5	8	5	5	6	10	6	5	81

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	104	104	92	93	80	73	67	60	51	57	55	52	888
	2	Cerebrovascular diseases	47	59	66	49	48	48	47	44	29	30	30	36	533
	3	Chronic lower respiratory diseases	40	33	47	37	43	39	30	40	31	45	43	29	457
	4	Malignant neoplasm of trachea, bronchus and lung	44	39	32	32	39	47	32	40	35	27	36	38	441
	5	Influenza and pneumonia	36	42	35	30	33	29	30	22	22	20	21	21	353
	6	Dementia and Alzheimer's disease	21	13	14	22	18	18	21	18	18	21	30	37	251
	7	Malignant neoplasms of breast	26	21	24	30	19	12	17	23	23	21	12	17	245
	8	Diseases of the urinary system	10	14	17	16	21	11	17	16	13	15	6	10	166
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	12	16	14	16	10	10	15	13	14	10	12	21	163
	10	Heart failure and complications and ill-defined heart disease	16	10	13	16	12	15	6	11	17	13	3	9	141
	31*	Malignant neoplasm of bladder	2	3	5	2	1	4	2	7	1	2	1	3	33

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Wandsworth, 2001-2012 ^{1,2,3,4,5,6,7,8}

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	190	169	147	137	149	110	133	125	129	90	94	116	1,589
	2	Malignant neoplasm of trachea, bronchus and lung	71	69	60	65	62	60	56	69	63	39	57	45	716
	3	Cerebrovascular diseases	81	69	62	63	56	56	49	60	53	69	38	32	688
	4	Chronic lower respiratory diseases	50	57	52	55	51	43	45	43	43	42	50	43	574
	5	Influenza and pneumonia	63	43	73	48	55	43	48	30	37	27	24	43	534
	6	Heart failure and complications and ill-defined heart disease	16	18	33	40	58	51	40	38	35	45	34	19	427
	7	Malignant neoplasm of prostate	29	29	27	32	31	29	24	23	31	32	30	26	343
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	24	27	17	24	29	19	18	27	23	24	21	17	270
	9	Dementia and Alzheimer's disease	24	10	17	12	13	20	20	18	17	20	28	40	239
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	24	22	19	22	22	18	18	16	17	22	13	25	238
	20	Malignant neoplasm of bladder	10	10	14	7	12	7	6	8	8	5	12	6	105

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	163	173	152	122	128	102	98	122	99	65	79	92	1,395
	2	Cerebrovascular diseases	108	128	113	94	108	83	70	90	64	77	40	50	1,025
	3	Influenza and pneumonia	100	99	109	85	77	94	79	63	50	47	60	54	917
	4	Dementia and Alzheimer's disease	68	53	34	39	42	28	45	43	46	43	82	73	596
	5	Chronic lower respiratory diseases	70	51	54	58	49	43	45	50	35	42	41	37	575
	6	Heart failure and complications and ill-defined heart disease	41	42	47	50	52	49	54	56	40	39	41	51	562
	7	Malignant neoplasm of trachea, bronchus and lung	37	51	41	38	46	48	44	50	30	41	40	49	515
	8	Malignant neoplasms of breast	42	37	33	36	34	28	35	43	40	35	33	28	424
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	29	13	22	18	21	26	16	24	25	35	17	24	270
	10	Diseases of the urinary system	17	25	20	36	26	21	26	18	24	24	11	13	261
	29	Malignant neoplasm of bladder	10	2	4	4	6	8	6	1	7	4	7	1	60

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Westminster, 2001-2012^{1,2,3,4,5,6,7,8}

Sex	Rank	Group Description	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Males	1	Ischaemic heart diseases	130	136	129	108	99	89	83	87	77	86	63	98	1,185
	2	Cerebrovascular diseases	52	67	67	48	48	52	35	30	30	42	33	36	540
	3	Malignant neoplasm of trachea, bronchus and lung	57	40	46	57	38	32	44	39	30	49	40	50	522
	4	Chronic lower respiratory diseases	37	30	33	39	39	33	25	28	22	24	29	29	368
	5	Influenza and pneumonia	36	28	35	38	38	22	25	11	25	29	22	17	326
	6	Malignant neoplasm of prostate	20	28	29	23	20	15	24	16	22	20	27	21	265
	7	Heart failure and complications and ill-defined heart disease	11	9	22	22	30	20	21	20	27	31	15	8	236
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	26	13	13	22	15	20	14	11	19	22	14	20	209
	9	Cirrhosis and other diseases of liver	23	19	17	19	21	14	15	15	15	13	15	19	205
	10	Suicide and injury/poisoning of undetermined intent	18	18	16	15	24	11	16	13	11	15	18	17	192
25*	Malignant neoplasm of bladder	5	5	10	2	2	6	4	4	10	5	5	4	62	

Sex	Rank	Group Description	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Females	1	Ischaemic heart diseases	94	90	109	78	70	56	75	68	53	50	55	39	837
	2	Cerebrovascular diseases	75	69	78	63	53	66	53	36	35	44	34	31	637
	3	Influenza and pneumonia	43	64	50	47	40	39	31	24	22	35	23	27	445
	4	Malignant neoplasm of trachea, bronchus and lung	25	23	43	38	33	26	42	22	29	34	47	24	386
	5	Malignant neoplasms of breast	32	32	38	35	31	36	17	25	21	33	21	22	343
	6	Chronic lower respiratory diseases	25	22	34	28	30	30	21	29	17	31	27	23	317
	7	Dementia and Alzheimer's disease	12	19	23	22	26	9	21	16	23	18	30	45	264
	8	Heart failure and complications and ill-defined heart disease	27	18	22	14	24	25	29	19	25	26	12	14	255
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	17	17	14	22	19	13	9	18	20	12	12	13	186
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	14	12	15	17	14	6	19	13	14	11	15	14	164
30*	Malignant neoplasm of bladder	2	4	2	4	4	3	4	6	1	2	5	4	41	

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 * Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics