

Kensington and Chelsea

Introduction

The Public Health Outcomes Framework *Healthy lives, healthy people: Improving outcomes and supporting transparency* sets out a vision for public health, desired outcomes and the indicators that will help us understand how well public health is being improved and protected. The framework concentrates on two high-level outcomes to be achieved across the public health system, and groups further indicators into four 'domains' that cover the full spectrum of public health. The outcomes reflect a focus not only on how long people live, but on how well they live at all stages of life.

This profile currently presents data for the first set of indicators at England and upper tier local authority levels, collated by the public health observatories in England.

The profile allows you to:

- Compare your local authority against other authorities in the region
- Benchmark your local authority against the England average

Public Health Outcomes Framework baseline data will be revised and corrected in accordance with the [general DH statistical policy on revisions and corrections](#).

Contents

Spine charts

| | |
|---|--------|
| Improving the wider determinants of health | Page 2 |
| Health improvement | Page 3 |
| Health protection | Page 4 |
| Healthcare public health and preventing premature mortality | Page 5 |

Tartan Rugs


| | |
|---|--------|
| Improving the wider determinants of health | Page 6 |
| Health improvement | Page 7 |
| Health protection | Page 8 |
| Healthcare public health and preventing premature mortality | Page 9 |

Summary Charts

| | |
|---|---------|
| Improving the wider determinants of health | Page 10 |
| Health improvement | Page 12 |
| Health protection | Page 15 |
| Healthcare public health and preventing premature mortality | Page 17 |

Inequalities

| | |
|--------------|---------|
| Inequalities | Page 19 |
|--------------|---------|



© Crown copyright and database rights 2012 Ordnance Survey 100020290
© OpenStreetMap contributors ODbL

www.phoutcomes.info

Produced by the Public Health Observatories in England.

For enquiries please contact phoutcomes@sepho.nhs.uk or call us on 01865 334736.




Spine Charts

| Improving the wider determinants of health | Local value | Eng. avg. | Eng. lowest | Range | Eng. highest |
|---|-------------|-----------|-------------|-------|--------------|
| 1.01 Children in poverty | 25.1 | 21.1 | 7.4 | | 45.9 |
| 1.03 Pupil absence | 5.47 | 5.79 | 4.84 | | 7.12 |
| 1.04 First time entrants to the youth justice system | 744 | 928 | 333 | | 2,310 |
| 1.05 16-18 year olds not in education employment or training | 6.90 | 6.10 | 1.60 | | 11.80 |
| 1.06i Adults with learning disabilities who live in stable and appropriate accommodation | 65.9 | 59.0 | 19.3 | | 84.2 |
| 1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation | 68.3 | 66.8 | 1.3 | | 92.8 |
| 1.10 Killed and seriously injured casualties on England's roads | 50.3 | 42.2 | 18.1 | | 82.4 |
| 1.12ii Violent crime (including sexual violence) - violence offences | 17.4 | 14.6 | 6.3 | | 34.6 |
| 1.13i Re-offending levels - percentage of offenders who re-offend | 26.2 | 26.8 | 17.3 | | 36.3 |
| 1.13ii Re-offending levels - average number of re-offences per offender | 0.7 | 0.8 | 0.4 | | 1.2 |
| 1.14i The percentage of the population affected by noise - Number of complaints about noise | 55.2 | 7.8 | 1.3 | | 66.7 |
| 1.15i Statutory homelessness - homelessness acceptances | 4.24 | 2.03 | 0.13 | | 10.36 |
| 1.15ii Statutory homelessness - households in temporary accommodation | 13.7 | 2.2 | 0.0 | | 33.6 |
| 1.16 Utilisation of outdoor space for exercise/health reasons | 14.0 | 2.2 | | | 29.1 |

How to interpret the spine charts



**How to interpret the spine charts**

England lowest

25th percentile

England average

75th percentile

England highest






 Significantly lower Significantly higher Not significant Significance Not Tested

Kensington and Chelsea

| Health protection | Local value | Eng. avg. | Eng. lowest | Range | Eng. highest |
|--|-------------|-----------|-------------|-------|--------------|
| 3.01 Fraction of mortality attributable to particulate air pollution | 8.3 | 5.6 | 3.6 | | 8.3 |
| 3.02 Chlamydia diagnoses (15-24 year olds) | 2,053 | 2,220 | 1,065 | | 5,219 |
| 3.03i Population vaccination coverage - Hepatitis B (1 year old) | | - | 33.3 | | 100.0 |
| 3.03i Population vaccination coverage - Hepatitis B (2 years old) | | - | 2.4 | | 100.0 |
| 3.03iii Population vaccination coverage - Dtap / IPV / Hib (1 year old) | 91.4 | 94.2 | 82.5 | ● | 98.2 |
| 3.03iii Population vaccination coverage - Dtap / IPV / Hib (2 years old) | 94.3 | 96.0 | 87.3 | ● | 98.9 |
| 3.03iv Population vaccination coverage - MenC | 89.6 | 93.4 | 81.0 | ● | 97.5 |
| 3.03v Population vaccination coverage - PCV | 90.3 | 93.6 | 80.5 | ● | 97.8 |
| 3.03vi Population vaccination coverage - Hib / MenC booster | 86.2 | 91.6 | 74.1 | ● | 97.6 |
| 3.03vii Population vaccination coverage - PCV booster | 84.5 | 89.3 | 70.0 | ● | 98.2 |
| 3.03viii Population vaccination coverage - MMR for one dose (2 years old) | 86.1 | 89.1 | 75.4 | ● | 96.8 |
| 3.03ix Population vaccination coverage - MMR for one dose (5 years old) | 87.4 | 91.9 | 80.7 | ● | 97.8 |
| 3.03x Population vaccination coverage - MMR for two doses (5 years old) | 66.4 | 84.2 | 61.0 | ● | 95.1 |
| 3.03xii Population vaccination coverage - HPV | 61.9 | 84.2 | 56.4 | ● | 95.1 |
| 3.03xiii Population vaccination coverage - PPV | 46.8 | 70.5 | 46.8 | ● | 76.0 |
| 3.03xiv Population vaccination coverage - Flu (aged 65+) | 70.3 | 72.8 | 67.2 | ● | 78.7 |
| 3.03xv Population vaccination coverage - Flu (at risk individuals) | 48.5 | 50.4 | 35.3 | ● | 61.5 |
| 3.05i Treatment completion for TB | 77.8 | 84.3 | 55.6 | | 98.3 |
| 3.05ii Treatment completion for TB - TB incidence | 26.2 | 15.4 | 1.1 | ○ | 137.0 |
| 3.06 Public sector organisations with a board approved sustainable development management plan | 37.5 | 74.3 | 20.0 | ○ | 100.0 |

How to interpret the spine charts



| Healthcare public health and preventing premature mortality | Local value | Eng. avg. | Eng. lowest | Range | | Eng. highest |
|--|-------------|-----------|-------------|---|---|--------------|
| | | | | | | |
| 4.03 Mortality from causes considered preventable (provisional) | 116.6 | 146.1 | 100.7 |  |  | 264.2 |
| 4.04i Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke) (Provisional) | 46.3 | 62.0 | 40.3 |  |  | 116.0 |
| 4.04ii Under 75 mortality rate from cardiovascular diseases that is considered preventable(including heart disease and stroke) (Provisional) | 23.0 | 40.6 | 23.0 |  |  | 75.1 |
| 4.05i Under 75 mortality rate from cancer (Provisional) | 89.9 | 106.7 | 82.5 |  |  | 152.0 |
| 4.05ii Under 75 mortality rate from cancer that is considered preventable (Provisional) | 58.6 | 61.9 | 45.2 |  |  | 98.1 |
| 4.06i Under 75 mortality rate from liver disease (Provisional) | 17.5 | 14.4 | 8.7 |  |  | 39.3 |
| 4.06ii Under 75 mortality rate from liver disease that is considered preventable (Provisional) | 14.8 | 12.7 | 7.5 |  |  | 37.0 |
| 4.07i Under 75 mortality rate from respiratory diseases (Provisional) | 13.8 | 23.4 | 13.7 |  |  | 62.0 |
| 4.07ii Under 75 mortality rate from respiratory diseases that is considered preventable (Provisional) | 6.4 | 11.6 | 5.3 |  |  | 28.6 |
| 4.10 Suicide rate | 6.0 | 7.9 | 4.3 |  |  | 13.9 |
| 4.11 Emergency readmissions within 30 days of discharge from hospital (persons) | 12.5 | 11.8 | 8.1 |  |  | 13.8 |
| 4.11 Emergency readmissions within 30 days of discharge from hospital (males) | 13.6 | 12.1 | 8.6 |  |  | 14.8 |
| 4.11 Emergency readmissions within 30 days of discharge from hospital (females) | 11.6 | 11.4 | 7.2 |  |  | 13.2 |
| 4.12i Preventable sight loss - age related macular degeneration (AMD) | 49.4 | 109.4 | 10.0 |  |  | 224.4 |
| 4.12ii Preventable sight loss - glaucoma | 7.7 | 11.8 | 0.0 |  |  | 36.9 |
| 4.12iii Preventable sight loss - diabetic eye disease | 4.1 | 3.6 | 0.0 |  |  | 12.9 |
| 4.12iv Preventable sight loss - sight loss certifications | 25.4 | 43.1 | 2.9 |  |  | 85.7 |
| 4.14i Hip fractures in people aged 65 and over | 342 | 452 | 341 |  |  | 641 |
| 4.14ii Hip fractures in people aged 65 and over - aged 65-79 | 163.7 | 224.2 | 120.6 |  |  | 330.5 |
| 4.14iii Hip fractures in people aged 65 and over - aged 80+ | 1,143 | 1,476 | 973 |  |  | 2,267 |

How to interpret the spine charts

England lowest England average England highest
 25th percentile |  75th percentile

 Significantly lower  Significantly higher  Not significant
 Significance Not Tested

Tartan Rugs

Improving the wider determinants of health

Indicators for tracking progress against wider factors that affect health and wellbeing.

| Indicator | Period | England | Barking and Dagenham | Barnet | Bexley | Brent | Bromley | Camden | City of London | Croydon | Ealing | Enfield | Greenwich | Hackney | Hammersmith and Fulham | Haringey | Harrow | Havering | Hillingdon | Hounslow | Islington | Kensington and Chelsea | Kingston upon Thames | Lambeth | Lewisham | Merton | Newham | Redbridge | Richmond upon Thames | Southwark | Sutton | Tower Hamlets | Waltham Forest | Wardsworth | Westminster |
|---|---------------------|---------|----------------------|--------|--------|-------|---------|--------|----------------|---------|--------|---------|-----------|---------|------------------------|----------|--------|----------|------------|----------|-----------|------------------------|----------------------|---------|----------|--------|--------|-----------|----------------------|-----------|--------|---------------|----------------|------------|-------------|
| 1.01 Children in poverty | 2010 | 21.1 | 35.3 | 21.2 | 20.0 | 29.5 | 17.5 | 34.2 | 18.7 | 25.7 | 26.1 | 33.7 | 30.9 | 36.6 | 31.1 | 33.0 | 21.2 | 20.1 | 23.7 | 25.6 | 40.9 | 25.1 | 15.0 | 32.7 | 31.7 | 18.3 | 34.3 | 25.0 | 10.5 | 31.4 | 17.4 | 45.9 | 30.4 | 22.4 | 36.0 |
| 1.03 Pupil absence | 2010/11 | 5.79 | 5.68 | 5.66 | 5.22 | 5.76 | 5.42 | 6.08 | 4.80 | 5.52 | 5.40 | 5.78 | 5.54 | 5.52 | 5.97 | 5.93 | 5.46 | 5.58 | 5.44 | 5.68 | 5.98 | 5.47 | 4.84 | 5.54 | 5.60 | 5.56 | 5.68 | 5.67 | 5.37 | 5.63 | 5.40 | 5.46 | 5.79 | 5.60 | 5.33 |
| 1.04 First time entrants to the youth justice system | 2010 | 928 | 1,011 | 635 | 1,021 | 1,228 | 839 | 1,119 | - | 833 | 1,102 | 1,349 | 1,345 | 1,153 | 1,089 | 1,465 | 715 | 943 | 751 | 1,082 | 1,255 | 744 | 813 | 1,648 | 1,419 | 1,080 | 1,303 | 799 | 657 | 1,391 | 896 | 1,288 | 1,440 | 1,788 | 1,115 |
| 1.05 16-18 year olds not in education employment or training | 2011 | 6.10 | 6.60 | 4.10 | 3.40 | 3.90 | 5.20 | 7.20 | 0.90 | 6.10 | 3.20 | 4.20 | 4.90 | 3.90 | 4.60 | 4.30 | 2.50 | 4.50 | 3.90 | 4.40 | 8.40 | 6.90 | 3.30 | 3.60 | 5.10 | 4.60 | 4.60 | 4.00 | 5.20 | 4.40 | 4.20 | 5.00 | 3.60 | 5.10 | 5.10 |
| 1.06i Adults with learning disabilities who live in stable and appropriate accommodation | 2010/11 | 59.0 | 80.9 | 52.4 | 68.3 | 64.9 | 57.3 | 78.7 | 85.7 | 72.8 | 65.1 | 75.3 | 49.0 | 64.8 | 67.9 | 49.1 | 70.8 | 43.9 | 54.0 | - | 70.1 | 65.9 | 55.9 | 65.2 | 56.4 | 62.9 | 62.0 | 58.2 | 40.4 | 60.5 | 49.1 | 29.8 | 36.4 | 57.3 | 52.9 |
| 1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation | 2010/11 | 66.8 | 86.0 | 65.7 | 72.7 | 59.6 | 75.6 | 67.4 | 54.6 | 68.8 | 76.1 | 61.6 | 76.3 | 67.5 | 83.4 | 60.3 | 72.0 | 92.8 | 77.7 | 85.6 | 67.5 | 68.3 | 86.3 | 60.4 | 69.1 | 82.5 | 82.2 | 82.0 | 89.0 | 68.7 | 84.5 | 83.9 | 77.3 | 83.7 | 24.6 |
| 1.10 Killed and seriously injured casualties on England's roads | 2009-11 | 42.2 | 26.3 | 39.2 | 29.1 | 33.4 | 31.8 | 50.0 | 388.2 | 29.2 | 29.0 | 33.1 | 43.3 | 47.7 | 47.9 | 37.8 | 18.1 | 29.9 | 30.7 | 38.2 | 44.3 | 50.3 | 28.0 | 58.4 | 40.3 | 22.4 | 34.4 | 27.2 | 34.4 | 48.5 | 25.9 | 41.9 | 28.8 | 38.4 | 79.9 |
| 1.12ii Violent crime (including sexual violence) - violence offences | 2010/11 | 14.6 | 24.9 | 12.7 | 13.4 | 27.6 | 15.5 | 24.9 | 60.3 | 19.2 | 25.5 | 15.0 | 23.8 | 27.2 | 28.8 | 21.8 | 14.2 | 15.7 | 21.4 | 24.0 | 30.5 | 17.4 | 13.2 | 27.0 | 25.7 | 13.8 | 29.2 | 15.3 | 11.2 | 26.9 | 11.7 | 26.5 | 24.0 | 16.8 | 34.6 |
| 1.13i Re-offending levels - percentage of offenders who re-offend | 2010 | 26.8 | 27.4 | 23.0 | 23.7 | 27.9 | 21.6 | 29.1 | 26.0 | 29.1 | 26.1 | 25.3 | 27.3 | 26.4 | 30.7 | 28.1 | 21.3 | 21.0 | 24.7 | 24.8 | 32.2 | 26.2 | 23.7 | 29.2 | 29.1 | 25.0 | 27.3 | 26.3 | 20.6 | 26.4 | 23.9 | 28.9 | 26.9 | 25.9 | 25.8 |
| 1.13ii Re-offending levels - average number of re-offences per offender | 2010 | 0.8 | 0.7 | 0.6 | 0.6 | 0.8 | 0.5 | 0.9 | 0.6 | 0.8 | 0.7 | 0.6 | 0.7 | 0.7 | 0.9 | 0.8 | 0.6 | 0.5 | 0.7 | 0.7 | 0.9 | 0.7 | 0.6 | 0.8 | 0.8 | 0.7 | 0.7 | 0.6 | 0.7 | 0.6 | 0.8 | 0.7 | 0.7 | 0.8 | |
| 1.14i The percentage of the population affected by noise - Number of complaints about noise | 2010/11 | 7.8 | 28.7 | 9.5 | 6.7 | 17.9 | 12.3 | 20.6 | 67.3 | 11.3 | 3.0 | 10.9 | 13.0 | 23.4 | 7.7 | 36.6 | 7.3 | 5.5 | 7.2 | 19.1 | 17.7 | 55.2 | 10.7 | 33.0 | 18.7 | 8.8 | 23.7 | 12.6 | 7.0 | 33.6 | 10.0 | 33.3 | 37.7 | 17.0 | 66.7 |
| 1.15i Statutory homelessness - homelessness acceptances | 2010/11 | 2.03 | 3.25 | 1.83 | 2.19 | 3.41 | 3.20 | 1.45 | 2.57 | 3.94 | 2.08 | 1.70 | 1.63 | 9.04 | 2.14 | 5.04 | 0.52 | 1.43 | 1.58 | 2.17 | 3.83 | 4.24 | 2.01 | 6.31 | 4.79 | 1.02 | 1.05 | 3.67 | 1.93 | 4.11 | 1.83 | 5.77 | 3.42 | 4.04 | 3.86 |
| 1.15ii Statutory homelessness - households in temporary accommodation | 2010/11 | 2.2 | 10.4 | 15.6 | 2.3 | 30.8 | 3.2 | 6.4 | 0.4 | 10.1 | 8.6 | 18.0 | 1.8 | 14.4 | 11.7 | 33.6 | 5.1 | 4.6 | 9.2 | 6.7 | 10.3 | 13.7 | 7.5 | 10.1 | 8.0 | 0.9 | 29.5 | 20.6 | 2.9 | 6.1 | 3.1 | 19.2 | 12.1 | 3.4 | 14.4 |
| 1.16 Utilisation of outdoor space for exercise/health reasons | Mar 2009 - Feb 2012 | 14.0 | 2.5 | 9.2 | 10.7 | 7.2 | 4.4 | 21.1 | - | 21.6 | 6.6 | 9.9 | 10.2 | - | 10.7 | 18.4 | 15.2 | - | - | 6.4 | 4.1 | - | 13.3 | 10.6 | 6.0 | 4.7 | 6.1 | 3.3 | - | 6.9 | 11.4 | 4.5 | 5.1 | 14.8 | 10.5 |

When no preferred polarity: Lower Similar Higher Not compared

Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.

| Indicator | Period | England | Barking and Dagenham | Barnet | Bexley | Brent | Bromley | Camden | City of London | Croydon | Ealing | Enfield | Greenwich | Hackney | Hammersmith and Fulham | Haringey | Harrow | Havering | Hillingdon | Hounslow | Islington | Kensington and Chelsea | Kingston upon Thames | Lambeth | Lewisham | Merton | Newham | Redbridge | Richmond upon Thames | Southwark | Sutton | Tower Hamlets | Waltham Forest | Wandsworth | Westminster | |
|---|---------|---------|----------------------|--------|--------|-------|---------|--------|----------------|---------|--------|---------|-----------|---------|------------------------|----------|--------|----------|------------|----------|-----------|------------------------|----------------------|---------|----------|--------|--------|-----------|----------------------|-----------|--------|---------------|----------------|------------|-------------|------|
| 2.01 Low birth weight of term babies | 2010 | 2.8 | 3.3 | 2.8 | 2.1 | 3.5 | 2.0 | 3.6 | - | 3.1 | 2.9 | 3.4 | 2.6 | 2.9 | 2.8 | 2.7 | 4.5 | 2.6 | 3.5 | 3.5 | 2.2 | 2.0 | 2.9 | 3.0 | 2.8 | 2.3 | 4.8 | 3.8 | 2.2 | 2.7 | 2.7 | 4.5 | 4.1 | 2.5 | 1.9 | |
| 2.02i Breastfeeding - Breastfeeding initiation | 2010/11 | 73.7 | 71.3 | 91.5 | 73.4 | 85.5 | 83.0 | 90.4 | - | 85.9 | - | 90.1 | 79.9 | 92.1 | 92.0 | 92.3 | 84.9 | 67.7 | 77.6 | 85.1 | 88.3 | 91.6 | 91.5 | 92.9 | 86.5 | 80.1 | 84.3 | 83.2 | 91.3 | 90.7 | 80.1 | 88.9 | 89.2 | 92.2 | 89.3 | |
| 2.02ii Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth | 2010/11 | 46.0 | - | 68.4 | 50.1 | 71.4 | 52.8 | 75.0 | - | 67.3 | - | 64.5 | 61.9 | 80.1 | 82.2 | 71.7 | 69.4 | 37.3 | 55.3 | - | 73.2 | - | 72.1 | - | 74.6 | 60.5 | 66.5 | 67.0 | 71.3 | 75.7 | 60.5 | 74.1 | 66.1 | 72.3 | 83.1 | |
| 2.03 Smoking status at time of delivery | 2010/11 | 13.52 | 12.95 | 5.53 | 12.49 | 3.36 | 7.48 | 4.91 | - | 9.09 | - | 6.24 | 10.75 | 6.85 | 4.24 | 6.11 | 4.33 | 13.63 | 9.72 | 7.48 | 8.86 | 3.11 | 5.58 | 4.01 | 5.86 | 5.44 | 4.54 | 5.93 | 4.16 | 4.88 | 5.44 | 4.26 | 6.55 | 4.37 | 2.95 | |
| 2.04 Under 18 conceptions | 2010 | 35.4 | 55.1 | 21.8 | 30.7 | 35.3 | 26.4 | 27.7 | - | 41.8 | 25.7 | 34.1 | 58.2 | 51.8 | 42.6 | 64.7 | 22.7 | 33.5 | 36.2 | 39.3 | 44.9 | 15.6 | 26.3 | 58.1 | 48.6 | 30.4 | 47.2 | 30.4 | 17.6 | 53.3 | 24.6 | 31.8 | 45.7 | 43.5 | 35.4 | |
| 2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds | 2010/11 | 22.6 | 27.8 | 21.9 | 25.7 | 23.7 | 20.8 | 23.7 | - | 23.0 | 23.0 | 28.2 | 27.2 | 28.0 | 24.1 | 21.5 | 14.9 | 24.3 | 21.5 | 24.8 | 26.4 | 22.2 | 17.5 | 24.5 | 24.8 | 19.4 | 24.1 | 23.9 | 17.6 | 28.5 | 19.7 | 23.9 | 20.4 | 22.9 | 24.7 | |
| 2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds | 2010/11 | 33.4 | 41.2 | 33.9 | 37.3 | 38.0 | 30.9 | 36.2 | - | 38.3 | 37.1 | 41.4 | 41.2 | 41.0 | 38.9 | 35.4 | 32.1 | 35.3 | 34.9 | 38.4 | 38.3 | 35.6 | 30.8 | 39.7 | 39.1 | 35.7 | 39.8 | 36.8 | 24.6 | 41.9 | 32.6 | 39.8 | 34.9 | 36.2 | 39.2 | |
| 2.08 Emotional well-being of looked after children | 2010/11 | 13.9 | 18.4 | 14.8 | 13.9 | 21.4 | 13.1 | 15.8 | 13.4 | 11.1 | 12.2 | 11.5 | 13.1 | 13.5 | 11.8 | 11.5 | 15.1 | 14.6 | 11.6 | 12.8 | 14.5 | 12.0 | 13.0 | 12.6 | 13.7 | 13.8 | 11.0 | 11.5 | 13.0 | 14.3 | 15.3 | 14.2 | 20.1 | 14.9 | 13.3 | |
| 2.14 Smoking prevalence - adults (over 18s) | 2010/11 | 20.7 | 23.9 | 18.7 | 18.1 | 20.8 | 16.5 | 19.0 | 5.5 | 19.4 | 19.2 | 20.9 | 24.2 | 26.7 | 24.2 | 22.2 | 17.2 | 19.7 | 19.2 | 19.0 | 20.5 | 18.8 | 17.5 | 21.4 | 21.9 | 16.4 | 20.9 | 14.9 | 17.2 | 21.4 | 16.6 | 24.5 | 21.2 | 17.5 | 17.5 | |
| 2.15 Successful completion of drug treatment | 2010 | 12.3 | 19.2 | 14.4 | 15.1 | 19.6 | 18.0 | 11.7 | 21.4 | 15.2 | 12.6 | 13.8 | 15.7 | 11.1 | 12.8 | 19.9 | 22.6 | 25.0 | 18.6 | 15.0 | 13.4 | 13.5 | 23.5 | 11.7 | 12.1 | 23.9 | 13.8 | 20.6 | 19.6 | 9.3 | 22.3 | 11.7 | 33.6 | 17.1 | 14.6 | |
| 2.17 Recorded diabetes | 2010 | 5.5 | 6.2 | 5.7 | 5.7 | 6.8 | 5.0 | 3.8 | - | 5.7 | 6.5 | 6.3 | 5.1 | 5.2 | 4.2 | 5.2 | 7.3 | 5.3 | 5.9 | 6.0 | 4.8 | 3.6 | 4.5 | 4.2 | 5.4 | 5.0 | 6.9 | 7.0 | 3.4 | 4.4 | 5.3 | 5.8 | 5.9 | 3.9 | 3.7 | |
| 2.20i Cancer screening coverage - breast cancer | 2010 | 76.9 | 72.7 | 64.6 | 77.7 | 61.2 | 76.3 | 58.9 | 66.7 | 69.8 | 65.8 | 67.2 | 66.0 | 60.9 | 60.4 | 59.2 | 61.8 | 77.8 | 68.8 | 67.3 | 65.0 | 56.2 | 72.5 | 60.2 | 64.5 | 69.4 | 60.9 | 71.8 | 72.2 | 60.6 | 74.2 | 65.7 | 70.7 | 63.2 | 60.4 | |
| 2.20ii Cancer screening coverage - cervical cancer | 2010 | 75.5 | 72.1 | 67.9 | 78.9 | 66.9 | 79.0 | 65.3 | 58.0 | 73.1 | 67.6 | 76.3 | 72.0 | 68.8 | 62.3 | 69.9 | 68.4 | 77.6 | 71.6 | 68.6 | 69.1 | 58.8 | 71.9 | 69.0 | 71.7 | 69.8 | 69.5 | 73.4 | 74.0 | 70.1 | 74.9 | 66.9 | 74.6 | 67.2 | 61.4 | |
| 2.21vii Access to non-cancer screening programmes - diabetic retinopathy | 2010/11 | 79.2 | 85.0 | 76.6 | 80.8 | 83.3 | 86.3 | 20.2 | - | 77.3 | 69.8 | 67.9 | 76.0 | 85.0 | 63.0 | 64.4 | 91.2 | 82.5 | 77.3 | 71.7 | 20.4 | 79.5 | 77.4 | 80.3 | 78.0 | 77.3 | 72.9 | 84.4 | 83.0 | 79.5 | 77.3 | 73.1 | 72.2 | 81.1 | 74.7 | |
| 2.22i Take up of NHS Health Check Programme by those eligible - health check offered | 2011/12 | 13.9 | 29.0 | 2.0 | 34.8 | 36.1 | 21.3 | 21.2 | - | 18.5 | 27.5 | 4.9 | 34.5 | 24.4 | 16.8 | 26.6 | 2.2 | 16.4 | 17.4 | 6.7 | 21.5 | 28.5 | 9.7 | 28.8 | 27.1 | 11.2 | 13.3 | 3.7 | 21.7 | 9.4 | 11.2 | 30.1 | 2.8 | 26.8 | 33.9 | |
| 2.22ii Take up of NHS Health Check programme by those eligible - health check take up | 2011/12 | 51.6 | 42.9 | 52.8 | 37.2 | 45.1 | 36.3 | 16.8 | - | 8.6 | 65.3 | 34.2 | 60.1 | 59.0 | 63.9 | 34.6 | 36.0 | 60.6 | 51.7 | 54.3 | 69.1 | 37.1 | 77.2 | 24.0 | 36.7 | 41.3 | 80.0 | 85.0 | 43.8 | 19.2 | 41.3 | 77.4 | 89.7 | 55.2 | 53.4 | |
| 2.23i Self-reported well-being - satisfied with life | 2011/12 | 24.3 | 26.9 | 26.9 | 26.9 | 26.9 | 27.6 | 27.6 | 26.9 | 26.9 | 26.9 | 27.6 | 27.6 | 26.9 | 26.9 | 26.9 | 26.9 | 27.6 | 27.6 | 27.6 | 27.6 | 26.9 | 26.9 | 27.6 | 27.6 | 26.9 | 27.6 | 27.6 | 27.6 | 27.6 | 27.6 | 27.6 | 27.6 | 27.6 | 27.6 | |
| 2.23ii Self-reported well-being - worthwhile | 2011/12 | 20.1 | 21.6 | 21.6 | 21.6 | 21.6 | 21.6 | 24.2 | 24.2 | 21.6 | 21.6 | 21.6 | 24.2 | 24.2 | 24.2 | 24.2 | 21.6 | 21.6 | 21.6 | 24.2 | 24.2 | 21.6 | 24.2 | 24.2 | 21.6 | 21.6 | 21.6 | 24.2 | 21.6 | 24.2 | 21.6 | 24.2 | 21.6 | 24.2 | 21.6 | 24.2 |
| 2.23iii Self-reported well-being - happy yesterday | 2011/12 | 29.0 | 30.2 | 30.2 | 30.2 | 30.2 | 31.3 | 31.3 | 30.2 | 30.2 | 30.2 | 30.2 | 31.3 | 31.3 | 31.3 | 30.2 | 30.2 | 30.2 | 30.2 | 31.3 | 31.3 | 30.2 | 31.3 | 30.2 | 30.2 | 30.2 | 31.3 | 30.2 | 31.3 | 31.3 | 30.2 | 31.3 | 30.2 | 31.3 | 31.3 | |
| 2.23iv Self-reported well-being - anxious yesterday | 2011/12 | 40.1 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 46.0 | 46.0 | 43.5 | 43.5 | 43.5 | 43.5 | 46.0 | 46.0 | 46.0 | 43.5 | 43.5 | 43.5 | 46.0 | 46.0 | 43.5 | 46.0 | 43.5 | 46.0 | 43.5 | 46.0 | 43.5 | 46.0 | 43.5 | 46.0 | 43.5 | 46.0 | 43.5 | 46.0 | |
| 2.24i Injuries due to falls in people aged 65 and over (Persons) | 2010/11 | 1,642 | 1,827 | 1,618 | 1,557 | 1,514 | 1,512 | 1,766 | 900 | 1,781 | 2,051 | 1,317 | 1,611 | 1,444 | 2,377 | 1,702 | 1,479 | 1,596 | 1,919 | 2,106 | 2,422 | 1,601 | 1,153 | 1,919 | 1,919 | 1,866 | 1,887 | 2,122 | 1,507 | 1,754 | 1,944 | 1,731 | 2,468 | 1,934 | 1,967 | |
| 2.24ii Injuries due to falls in people aged 65 and over (Males) | 2010/11 | 1,269 | 1,427 | 1,372 | 1,175 | 1,357 | 1,143 | 1,473 | - | 1,303 | 1,681 | 986 | 1,396 | 1,232 | 2,228 | 1,565 | 1,243 | 1,266 | 1,712 | 1,863 | 2,104 | 1,241 | 936 | 1,816 | 1,583 | 1,435 | 1,483 | 1,766 | 1,224 | 1,589 | 1,513 | 1,097 | 2,226 | 1,560 | 1,699 | |
| 2.24iii Injuries due to falls in people aged 65 and over (Females) | 2010/11 | 2,014 | 2,227 | 1,865 | 1,938 | 1,671 | 1,881 | 2,059 | - | 2,259 | 2,420 | 1,649 | 1,827 | 1,656 | 2,526 | 1,840 | 1,714 | 1,925 | 2,126 | 2,348 | 2,740 | 1,962 | 1,369 | 2,022 | 2,256 | 2,297 | 2,291 | 2,478 | 1,790 | 1,919 | 2,375 | 2,365 | 2,711 | 2,308 | 2,236 | |
| 2.24iv Injuries due to falls in people aged 65 and over - aged 65-79 | 2010/11 | 959 | 1,064 | 976 | 872 | 927 | 824 | 1,087 | - | 978 | 1,372 | 745 | 968 | 1,031 | 1,716 | 988 | 828 | 810 | 1,114 | 1,241 | 1,573 | 1,061 | 663 | 1,258 | 1,183 | 1,196 | 1,278 | 1,150 | 890 | 1,173 | 1,034 | 1,232 | 1,380 | 1,330 | 1,322 | |
| 2.24v Injuries due to falls in people aged 65 and over - aged 65-79 | 2010/11 | 4,711 | 5,262 | 4,508 | 4,637 | 4,156 | 4,609 | 4,822 | - | 5,395 | 5,105 | 3,893 | 4,509 | 3,304 | 5,353 | 4,917 | 4,407 | 5,132 | 5,542 | 5,997 | 6,242 | 4,033 | 3,355 | 4,895 | 5,236 | 4,881 | 4,626 | 6,495 | 4,287 | 4,366 | 6,039 | 3,980 | 7,366 | 4,652 | 4,871 | |

Kensington and Chelsea

Health protection

Indicators for tracking progress against protecting the population's health from major incidents and other threats.

| Indicator | Period | England | Barking and Dagenham | Barnet | Bexley | Brent | Bromley | Camden | City of London | Croydon | Ealing | Enfield | Greenwich | Hackney | Hammersmith and Fulham | Haringey | Harrow | Havering | Hillingdon | Hounslow | Islington | Kensington and Chelsea | Kingston upon Thames | Lambeth | Lewisham | Merton | Newham | Redbridge | Richmond upon Thames | Southwark | Sutton | Tower Hamlets | Waltham Forest | Wandsworth | Westminster |
|--|---------|---------|----------------------|--------|--------|-------|---------|--------|----------------|---------|--------|---------|-----------|---------|------------------------|----------|--------|----------|------------|----------|-----------|------------------------|----------------------|---------|----------|--------|--------|-----------|----------------------|-----------|--------|---------------|----------------|------------|-------------|
| 3.01 Fraction of mortality attributable to particulate air pollution | 2010 | 5.6 | 7.1 | 6.8 | 6.6 | 7.2 | 6.3 | 9.0 | 6.5 | 7.2 | 6.6 | 7.2 | 7.8 | 7.9 | 7.1 | 6.4 | 6.3 | 6.5 | 7.1 | 7.9 | 8.3 | 6.7 | 7.7 | 7.2 | 6.9 | 7.6 | 7.0 | 6.8 | 7.9 | 8.1 | 7.3 | 7.3 | 8.3 | | |
| 3.02 Chlamydia diagnoses (15-24 year olds) | 2010 | 2,220 | 3,001 | 1,695 | 1,438 | 2,883 | 1,844 | 1,679 | 464 | 3,640 | 1,846 | 2,175 | 2,800 | 3,854 | 2,447 | 4,208 | 1,215 | 1,688 | 1,711 | 2,041 | 2,535 | 2,053 | 1,561 | 5,219 | 4,728 | 2,094 | 2,760 | 1,773 | 1,602 | 4,223 | 2,162 | 1,885 | 2,924 | 3,129 | 1,824 |
| 3.03i Population vaccination coverage - Hepatitis B (1 year old) | 2010/11 | - | - | 71.7 | 100.0 | 77.1 | 81.3 | - | - | 100.0 | 66.7 | 90.0 | 84.8 | - | 62.5 | 100.0 | - | - | - | 71.4 | - | - | 97.1 | 91.7 | 84.6 | 53.2 | 33.3 | 76.9 | 94.1 | 84.6 | 100.0 | 98.0 | 81.0 | - | |
| 3.03i Population vaccination coverage - Hepatitis B (2 years old) | 2010/11 | - | - | 9.9 | 50.0 | 19.4 | 85.7 | - | - | 88.6 | 44.1 | - | 85.7 | - | 77.8 | - | - | - | - | - | - | - | 77.4 | 93.3 | - | - | - | 50.0 | 76.8 | - | 95.0 | 94.2 | 100.0 | - | |
| 3.03iii Population vaccination coverage - Dtap / IPV / Hib (1 year old) | 2010/11 | 94.2 | 86.3 | 93.9 | 90.8 | 93.1 | 90.6 | 88.9 | - | 91.0 | 94.2 | 83.0 | 90.4 | 82.5 | 91.5 | 91.1 | 96.3 | 91.3 | 94.4 | 89.7 | 91.9 | 91.4 | 94.0 | 91.4 | 89.9 | 89.4 | 84.8 | 91.7 | 93.5 | 88.9 | 89.4 | 97.2 | 91.0 | 91.2 | 94.8 |
| 3.03iii Population vaccination coverage - Dtap / IPV / Hib (2 years old) | 2010/11 | 96.0 | 88.7 | 95.0 | 93.6 | 93.7 | 93.4 | 90.3 | - | 94.0 | 95.7 | 87.3 | 92.4 | 89.6 | 92.5 | 92.2 | 96.5 | 94.4 | 96.2 | 93.1 | 93.5 | 94.3 | 95.0 | 93.3 | 91.8 | 91.8 | 88.5 | 92.6 | 94.7 | 91.4 | 91.8 | 97.7 | 94.8 | 91.6 | 93.2 |
| 3.03iv Population vaccination coverage - MenC | 2010/11 | 93.4 | 84.4 | 91.3 | 90.9 | 92.9 | 90.1 | 87.1 | - | 91.2 | 92.0 | 82.0 | 89.5 | 81.5 | 89.7 | 89.8 | 93.3 | 89.0 | 93.1 | 88.3 | 90.7 | 89.6 | 92.6 | 90.9 | 89.3 | 88.4 | 81.0 | 89.1 | 92.0 | 87.6 | 88.4 | 95.8 | 90.0 | 89.8 | 91.0 |
| 3.03v Population vaccination coverage - PCV | 2010/11 | 93.6 | 85.4 | 91.6 | 90.8 | 93.4 | 90.2 | 88.7 | - | 90.4 | 92.1 | 82.2 | 89.9 | 82.0 | 90.2 | 91.1 | 93.9 | 89.5 | 93.5 | 90.4 | 91.1 | 90.3 | 92.9 | 91.2 | 89.8 | 88.6 | 80.5 | 89.9 | 93.0 | 87.8 | 88.6 | 96.5 | 90.4 | 86.5 | 93.7 |
| 3.03vi Population vaccination coverage - Hib / MenC booster | 2010/11 | 91.6 | 79.4 | 89.6 | 85.6 | 89.3 | 85.7 | 79.0 | - | 85.9 | 87.1 | 78.4 | 83.3 | 74.1 | 84.0 | 83.5 | 94.8 | 89.7 | 91.6 | 80.2 | 85.6 | 86.2 | 83.0 | 83.4 | 81.0 | 78.3 | 82.8 | 86.2 | 86.3 | 82.4 | 78.3 | 94.2 | 89.4 | 87.8 | 90.2 |
| 3.03vii Population vaccination coverage - PCV booster | 2010/11 | 89.3 | 78.2 | 86.4 | 79.4 | 86.0 | 82.7 | 76.3 | - | 81.0 | 86.2 | 73.9 | 78.3 | 88.8 | 79.6 | 82.7 | 85.6 | 83.5 | 89.4 | 80.7 | 82.2 | 84.5 | 82.1 | 80.2 | 76.6 | 76.9 | 70.0 | 83.7 | 84.3 | 78.7 | 76.9 | 93.5 | 85.4 | 95.2 | 89.2 |
| 3.03viii Population vaccination coverage - MMR for one dose (2 years old) | 2010/11 | 89.1 | 81.4 | 89.6 | 81.3 | 88.2 | 83.6 | 77.3 | - | 82.1 | 86.5 | 77.1 | 82.6 | 75.4 | 80.5 | 85.3 | 88.1 | 85.6 | 89.0 | 81.8 | 85.4 | 86.1 | 83.7 | 82.3 | 81.2 | 81.6 | 80.8 | 85.2 | 85.3 | 80.4 | 81.6 | 94.4 | 87.0 | 82.4 | 89.3 |
| 3.03ix Population vaccination coverage - MMR for one dose (5 years old) | 2010/11 | 91.9 | 85.9 | 90.9 | 88.2 | 92.7 | 88.9 | 81.5 | - | 89.7 | 92.0 | 82.5 | 88.8 | 86.5 | 85.2 | 84.3 | 93.9 | 89.0 | 91.4 | 88.9 | 88.2 | 87.4 | 89.2 | 88.5 | 85.3 | 87.9 | 81.1 | 88.1 | 85.0 | 83.7 | 87.9 | 95.7 | 89.5 | 92.2 | 91.4 |
| 3.03x Population vaccination coverage - MMR for two doses (5 years old) | 2010/11 | 84.2 | 69.4 | 82.6 | 79.0 | 82.2 | 77.0 | 61.0 | - | 75.1 | 80.1 | 67.6 | 80.0 | 64.8 | 69.0 | 77.8 | 78.4 | 78.7 | 86.8 | 68.0 | 75.0 | 66.4 | 82.2 | 75.2 | 65.8 | 79.8 | 77.0 | 77.2 | 75.8 | 68.9 | 79.8 | 93.7 | 80.7 | 86.7 | 87.6 |
| 3.03xi Population vaccination coverage - HPV | 2010/11 | 84.2 | 81.8 | 61.6 | 70.3 | 82.7 | 80.9 | 67.2 | - | 75.8 | 76.5 | 71.3 | 76.9 | 56.4 | 74.5 | 71.2 | 76.1 | 85.3 | 83.4 | 80.6 | 88.6 | 61.9 | 61.1 | 82.0 | 68.8 | 80.6 | 89.8 | 81.2 | 73.9 | 63.5 | 80.6 | 78.1 | 74.2 | 76.9 | 79.0 |
| 3.03xiii Population vaccination coverage - PPV | 2010/11 | 70.5 | 65.4 | 68.7 | 68.0 | 70.3 | 65.8 | 66.0 | - | 64.0 | 70.1 | 69.3 | 68.1 | 66.7 | 59.8 | 64.2 | 66.7 | 67.8 | 67.7 | 70.1 | 63.7 | 46.8 | 73.2 | 61.7 | 62.5 | 69.9 | 47.9 | 67.5 | 74.6 | 57.5 | 69.9 | 73.3 | 63.5 | 59.4 | 67.4 |
| 3.03xiv Population vaccination coverage - Flu (aged 65+) | 2010/11 | 72.8 | 69.4 | 73.8 | 69.0 | 72.2 | 72.0 | 72.2 | - | 67.2 | 68.6 | 73.3 | 72.6 | 73.7 | 69.3 | 71.0 | 72.2 | 70.4 | 70.4 | 71.4 | 72.5 | 70.3 | 69.4 | 68.5 | 69.6 | 70.6 | 73.8 | 74.0 | 76.7 | 70.7 | 70.6 | 76.6 | 72.2 | 70.1 | 75.8 |
| 3.03xv Population vaccination coverage - Flu (at risk individuals) | 2010/11 | 50.4 | 54.0 | 48.1 | 48.1 | 52.0 | 46.0 | 37.3 | - | 48.0 | 49.3 | 49.8 | 51.7 | 61.5 | 41.2 | 44.0 | 50.2 | 35.3 | 51.8 | 51.5 | 49.6 | 48.5 | 50.6 | 47.7 | 44.0 | 48.8 | 56.8 | 53.6 | 51.8 | 47.2 | 48.8 | 56.9 | 48.3 | 43.4 | 56.1 |
| 3.05i Treatment completion for TB | 2011 | 84.3 | 91.3 | 89.7 | 90.0 | 88.2 | 84.8 | 88.4 | - | 85.5 | 78.6 | 83.9 | 95.0 | 89.0 | 90.9 | 79.2 | 84.7 | 84.6 | 81.7 | 81.1 | 82.5 | 77.8 | 89.2 | 92.8 | 88.9 | 90.9 | 85.7 | 82.5 | - | 87.0 | 90.9 | 83.7 | 90.3 | 90.7 | 83.9 |
| 3.05ii Treatment completion for TB - TB incidence | 2009-11 | 15.4 | 37.3 | 30.6 | 10.8 | 118.0 | 11.7 | 33.7 | 20.0 | 35.3 | 70.6 | 32.4 | 51.3 | 45.0 | 38.7 | 54.7 | 62.0 | 8.6 | 47.5 | 77.3 | 40.5 | 26.2 | 19.3 | 38.3 | 32.5 | 29.1 | 137.0 | 55.0 | 9.3 | 35.5 | 16.1 | 61.0 | 48.4 | 31.1 | 27.1 |
| 3.06 Public sector organisations with a board approved sustainable development management plan | 2010/11 | 74.3 | 60.0 | 40.0 | 60.0 | 42.9 | 60.0 | 66.7 | 33.3 | 80.0 | 57.1 | 60.0 | 40.0 | 20.0 | 50.0 | 66.7 | 33.3 | 60.0 | 40.0 | 71.4 | 37.5 | 66.7 | 71.4 | 40.0 | 57.1 | 40.0 | 66.7 | 71.4 | 83.3 | 66.7 | 60.0 | 60.0 | 50.0 | 42.9 | |

When no preferred polarity: Lower Similar Higher Not compared

Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.

| Indicator | Period | Kensington and Chelsea | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|------------------------|----------------------|--------|--------|-------|---------|--------|----------------|---------|--------|---------|-----------|---------|------------------------|----------|--------|----------|------------|----------|-----------|------------------------|----------------------|---------|----------|--------|--------|-----------|----------------------|-----------|--------|---------------|----------------|------------|-------------|-------|
| | | England | Barking and Dagenham | Barnet | Bexley | Brent | Bromley | Camden | City of London | Croydon | Ealing | Enfield | Greenwich | Hackney | Hammersmith and Fulham | Haringey | Harrow | Havering | Hillingdon | Hounslow | Islington | Kensington and Chelsea | Kingston upon Thames | Lambeth | Lewisham | Merton | Newham | Redbridge | Richmond upon Thames | Southwark | Sutton | Tower Hamlets | Waltham Forest | Wandsworth | Westminster | |
| 4.03 | Mortality from causes considered preventable (provisional) | 2009-11 | 146.1 | 182.9 | 113.2 | 127.0 | 125.1 | 111.2 | 148.2 | 104.3 | 129.6 | 147.8 | 123.2 | 161.6 | 171.7 | 169.0 | 152.5 | 100.9 | 130.5 | 132.5 | 145.1 | 177.6 | 116.6 | 112.0 | 162.5 | 160.3 | 120.2 | 163.2 | 121.6 | 107.7 | 174.9 | 126.4 | 193.7 | 145.2 | 134.9 | 132.9 |
| 4.04i | Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke) (Provisional) | 2009-11 | 62.0 | 83.7 | 46.5 | 55.6 | 66.0 | 50.8 | 66.1 | - | 65.5 | 70.5 | 58.7 | 72.0 | 88.3 | 67.3 | 66.5 | 48.3 | 62.4 | 60.1 | 60.7 | 84.8 | 46.3 | 50.9 | 75.4 | 70.9 | 69.4 | 88.2 | 59.3 | 43.0 | 74.2 | 54.7 | 89.0 | 66.8 | 64.8 | 63.3 |
| 4.04ii | Under 75 mortality rate from cardiovascular diseases that is considered preventable(including heart disease and stroke) (Provisional) | 2009-11 | 40.6 | 56.2 | 29.8 | 37.0 | 38.6 | 31.7 | 38.0 | - | 39.7 | 47.1 | 36.9 | 48.0 | 55.3 | 42.5 | 42.4 | 31.0 | 41.0 | 36.8 | 41.5 | 52.6 | 23.0 | 32.8 | 43.7 | 45.2 | 38.9 | 55.8 | 38.2 | 24.5 | 47.0 | 28.7 | 55.4 | 41.1 | 31.8 | 34.0 |
| 4.05i | Under 75 mortality rate from cancer (Provisional) | 2009-11 | 106.7 | 135.3 | 96.0 | 103.1 | 96.2 | 93.1 | 100.1 | - | 97.2 | 94.7 | 94.5 | 108.1 | 109.6 | 115.0 | 109.8 | 82.5 | 104.2 | 96.7 | 102.5 | 121.4 | 89.9 | 93.2 | 120.3 | 122.4 | 88.1 | 100.3 | 97.7 | 88.9 | 115.9 | 101.3 | 127.1 | 107.4 | 99.1 | 94.4 |
| 4.05ii | Under 75 mortality rate from cancer that is considered preventable (Provisional) | 2009-11 | 61.9 | 80.0 | 52.1 | 59.1 | 52.7 | 52.4 | 63.1 | - | 53.2 | 56.0 | 55.9 | 64.8 | 67.3 | 73.7 | 66.5 | 45.2 | 57.5 | 55.9 | 59.8 | 73.2 | 58.6 | 52.0 | 70.1 | 72.6 | 48.6 | 63.1 | 49.8 | 51.7 | 71.3 | 60.9 | 82.6 | 65.1 | 57.8 | 54.4 |
| 4.06i | Under 75 mortality rate from liver disease (Provisional) | 2009-11 | 14.4 | 18.7 | 9.9 | 10.5 | 14.5 | 10.3 | 22.1 | - | 13.1 | 17.2 | 13.3 | 14.6 | 19.5 | 24.4 | 18.4 | 11.4 | 11.0 | 14.2 | 16.6 | 22.0 | 17.5 | 15.0 | 19.3 | 15.4 | 9.3 | 19.0 | 13.3 | 12.4 | 20.7 | 11.5 | 21.6 | 15.1 | 14.5 | 15.3 |
| 4.06ii | Under 75 mortality rate from liver disease that is considered preventable (Provisional) | 2009-11 | 12.7 | 16.0 | 8.5 | 9.8 | 12.6 | 8.9 | 19.5 | - | 11.9 | 13.4 | 11.7 | 12.5 | 15.5 | 20.4 | 15.9 | 9.4 | 9.5 | 12.7 | 14.4 | 17.8 | 14.8 | 12.7 | 16.7 | 14.1 | 8.3 | 15.1 | 11.2 | 11.5 | 19.0 | 10.1 | 17.1 | 13.0 | 12.7 | 13.7 |
| 4.07i | Under 75 mortality rate from respiratory diseases (Provisional) | 2009-11 | 23.4 | 36.9 | 17.4 | 17.0 | 17.8 | 13.7 | 17.6 | - | 22.9 | 23.8 | 19.4 | 30.2 | 31.3 | 25.1 | 23.2 | 17.1 | 18.5 | 21.0 | 26.1 | 24.6 | 13.8 | 15.5 | 28.5 | 28.1 | 18.3 | 30.5 | 19.7 | 17.0 | 33.1 | 20.7 | 34.8 | 21.3 | 22.5 | 18.9 |
| 4.07ii | Under 75 mortality rate from respiratory diseases that is considered preventable (Provisional) | 2009-11 | 11.6 | 20.8 | 7.2 | 10.7 | 5.3 | 7.4 | 9.6 | - | 10.4 | 9.9 | 7.6 | 19.4 | 15.1 | 13.8 | 8.1 | 5.6 | 8.2 | 9.6 | 12.9 | 12.3 | 6.4 | 6.9 | 16.4 | 14.3 | 9.5 | 14.4 | 8.3 | 7.0 | 21.8 | 12.5 | 22.0 | 12.1 | 13.4 | 8.5 |
| 4.10 | Suicide rate | 2009-11 | 7.9 | 5.8 | 6.0 | 5.6 | 6.5 | 5.8 | 7.7 | - | 4.9 | 9.3 | 5.1 | 7.4 | 8.8 | 7.4 | 8.7 | 5.1 | 7.1 | 7.5 | 8.4 | 9.8 | 6.0 | 5.7 | 6.6 | 6.6 | 6.0 | 6.2 | 6.7 | 7.4 | 7.4 | 6.4 | 6.2 | 7.5 | 9.1 | |
| 4.11 | Emergency readmissions within 30 days of discharge from hospital (persons) | 2010/11 | 11.8 | 12.8 | 11.3 | 12.2 | 11.9 | 12.2 | 12.6 | 11.0 | 12.2 | 12.4 | 10.3 | 12.5 | 11.2 | 13.3 | 11.7 | 11.7 | 11.5 | 12.2 | 12.6 | 11.9 | 12.5 | 11.1 | 12.4 | 11.9 | 11.8 | 9.3 | 12.4 | 12.6 | 12.4 | 11.8 | 11.2 | 12.7 | 12.2 | 12.8 |
| 4.11 | Emergency readmissions within 30 days of discharge from hospital (males) | 2010/11 | 12.1 | 12.6 | 11.9 | 11.8 | 12.3 | 12.1 | 14.4 | 11.9 | 13.0 | 13.7 | 11.1 | 12.8 | 13.0 | 14.4 | 12.4 | 11.9 | 12.2 | 12.8 | 13.1 | 12.6 | 13.6 | 11.5 | 14.3 | 12.5 | 11.6 | 11.7 | 13.2 | 12.1 | 13.8 | 12.4 | 12.5 | 13.6 | 13.7 | |
| 4.11 | Emergency readmissions within 30 days of discharge from hospital (females) | 2010/11 | 11.4 | 12.9 | 10.8 | 12.4 | 11.5 | 12.2 | 11.0 | 10.1 | 11.4 | 11.1 | 9.6 | 12.2 | 9.4 | 12.2 | 11.0 | 11.5 | 10.9 | 11.7 | 12.1 | 11.2 | 11.6 | 10.8 | 10.6 | 11.3 | 11.9 | 7.2 | 11.7 | 12.8 | 11.1 | 11.3 | 9.9 | 11.8 | 11.0 | 12.0 |
| 4.12i | Preventable sight loss - age related macular degeneration (AMD) | 2010/11 | 109.4 | 109.9 | 107.8 | 95.6 | 73.3 | 102.4 | 100.0 | 0.0 | 104.0 | 112.5 | 71.9 | 78.0 | 65.9 | 91.5 | 69.9 | 99.4 | 106.0 | 43.3 | 162.6 | 90.6 | 49.4 | 49.8 | 87.7 | 92.9 | 116.5 | 65.7 | 95.7 | 57.5 | 87.6 | 145.3 | 80.8 | 33.7 | 121.1 | 48.1 |
| 4.12ii | Preventable sight loss - glaucoma | 2010/11 | 11.8 | 17.0 | 14.7 | 6.2 | 15.4 | 6.3 | 15.8 | 0.0 | 13.8 | 25.1 | 7.5 | 17.3 | 17.1 | 7.9 | 10.2 | 15.2 | 5.8 | - | 13.7 | 10.4 | 7.7 | 9.8 | 33.5 | 16.9 | 16.2 | 17.8 | 7.0 | - | 20.1 | 26.2 | - | 10.0 | 15.4 | 7.4 |
| 4.12iii | Preventable sight loss - diabetic eye disease | 2010/11 | 3.6 | 3.5 | 5.5 | - | 5.1 | 3.0 | - | 0.0 | 5.2 | 4.8 | 3.3 | - | 7.8 | 4.8 | 6.9 | 4.1 | 5.4 | - | 7.0 | 3.0 | 4.1 | - | 5.3 | - | 4.5 | 6.3 | 2.7 | - | 3.7 | - | 3.5 | 4.8 | 7.2 | - |
| 4.12iv | Preventable sight loss - sight loss certifications | 2010/11 | 43.1 | 41.2 | 44.2 | 31.6 | 40.1 | 32.3 | 25.9 | 0.0 | 42.8 | 43.0 | 28.5 | 28.9 | 35.1 | 32.4 | 29.3 | 39.1 | 38.5 | 16.2 | 38.4 | 26.8 | 25.4 | 19.5 | 38.3 | 31.5 | 44.1 | 34.1 | 30.3 | 19.9 | 31.7 | 47.9 | 24.4 | 29.9 | 42.1 | 19.4 |
| 4.14i | Hip fractures in people aged 65 and over | 2010/11 | 452 | 420 | 410 | 485 | 390 | 434 | 422 | - | 462 | 408 | 378 | 462 | 353 | 416 | 517 | 370 | 424 | 405 | 536 | 472 | 342 | 341 | 470 | 390 | 357 | 396 | 461 | 449 | 391 | 486 | 528 | 382 | 421 | 375 |
| 4.14ii | Hip fractures in people aged 65 and over - aged 65-79 | 2010/11 | 224.2 | 173.3 | 199.8 | 222.5 | 222.4 | 191.0 | 239.0 | - | 251.1 | 199.9 | 171.9 | 250.0 | 195.9 | 286.2 | 298.9 | 160.8 | 188.1 | 174.9 | 245.1 | 294.4 | 163.7 | 161.0 | 275.9 | 208.2 | 190.4 | 196.8 | 212.2 | 210.6 | 212.6 | 256.7 | 317.8 | 151.8 | 252.7 | 242.6 |
| 4.14iii | Hip fractures in people aged 65 and over - aged 80+ | 2010/11 | 1,476 | 1,531 | 1,354 | 1,665 | 1,146 | 1,530 | 1,245 | - | 1,412 | 1,342 | 1,306 | 1,417 | 1,059 | 999 | 1,498 | 1,314 | 1,486 | 1,442 | 1,847 | 1,273 | 1,143 | 1,151 | 1,345 | 1,211 | 1,109 | 1,293 | 1,579 | 1,522 | 1,193 | 1,516 | 1,474 | 1,416 | 1,176 | 973 |

When no preferred polarity: Lower Similar Higher Not compared

Summary Charts


Key

- Kensington and Chelsea
- Other local authorities in London


Improving the wider determinants of health

Indicators for tracking progress against wider factors that affect health and wellbeing.


1.01. Children in poverty




1.03. Pupil absence




1.04. First time entrants to the youth justice system




1.05. 16-18 year olds not in education employment or training




1.06i. Adults with learning disabilities who live in stable and appropriate accommodation




1.06ii. Adults in contact with secondary mental health services who live in stable and appropriate accommodation




1.10. Killed and seriously injured casualties on England's roads




1.12ii. Violent crime (including sexual violence) - violence offences



1.13i. Re-offending levels - percentage of offenders who re-offend




1.13ii. Re-offending levels - average number of re-offences per offender




Improving the wider determinants of health continued

Indicators for tracking progress against wider factors that affect health and wellbeing.


1.14i. The percentage of the population affected by noise - Number of complaints about noise




1.15i. Statutory homelessness - homelessness acceptances



1.15ii. Statutory homelessness - households in temporary accommodation



1.16. Utilisation of outdoor space for exercise/health reasons




Kensington and Chelsea


Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.01. Low birth weight of term babies




2.02i. Breastfeeding - Breastfeeding initiation




2.02ii. Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth




2.03. Smoking status at time of delivery




2.04. Under 18 conceptions




2.06i. Excess weight in 4-5 and 10-11 year olds - 4-5 year olds




2.06ii. Excess weight in 4-5 and 10-11 year olds - 10-11 year olds




2.08. Emotional well-being of looked after children



2.14. Smoking prevalence - adults (over 18s)




2.15. Successful completion of drug treatment




Health improvement continued

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.17. Recorded diabetes




2.20i. Cancer screening coverage - breast cancer




2.20ii. Cancer screening coverage - cervical cancer




2.21vii. Access to non-cancer screening programmes - diabetic retinopathy




2.22i. Take up of NHS Health Check Programme by those eligible - health check offered




2.22ii. Take up of NHS Health Check programme by those eligible - health check take up




2.23i. Self-reported well-being - satisfied with life




2.23ii. Self-reported well-being - worthwhile



2.23iii. Self-reported well-being - happy yesterday



2.23iv. Self-reported well-being - anxious yesterday




Kensington and Chelsea


Health improvement continued

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.24i. Injuries due to falls in people aged 65 and over (Persons)




2.24i. Injuries due to falls in people aged 65 and over (Males)




2.24i. Injuries due to falls in people aged 65 and over (Females)



2.24ii. Injuries due to falls in people aged 65 and over - aged 65-79




2.24iii. Injuries due to falls in people aged 65 and over - aged 80+




Health protection

Indicators for tracking progress against protecting the population's health from major incidents and other threats.


3.01. Fraction of mortality attributable to particulate air pollution




3.02. Chlamydia diagnoses (15-24 year olds)




3.03i. Population vaccination coverage - Hepatitis B (1 year old)




3.03i. Population vaccination coverage - Hepatitis B (2 years old)




3.03iii. Population vaccination coverage - Dtap / IPV / Hib (1 year old)




3.03iii. Population vaccination coverage - Dtap / IPV / Hib (2 years old)




3.03iv. Population vaccination coverage - MenC




3.03v. Population vaccination coverage - PCV



3.03vi. Population vaccination coverage - Hib / MenC booster



3.03vii. Population vaccination coverage - PCV booster




Kensington and Chelsea


Health protection continued

Indicators for tracking progress against protecting the population's health from major incidents and other threats.


3.03viii. Population vaccination coverage - MMR for one dose (2 years old)




3.03ix. Population vaccination coverage - MMR for one dose (5 years old)




3.03x. Population vaccination coverage - MMR for two doses (5 years old)




3.03xii. Population vaccination coverage - HPV




3.03xiii. Population vaccination coverage - PPV




3.03xiv. Population vaccination coverage - Flu (aged 65+)




3.03xv. Population vaccination coverage - Flu (at risk individuals)




3.05i. Treatment completion for TB



3.05ii. Treatment completion for TB - TB incidence




3.06. Public sector organisations with a board approved sustainable development management plan




Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.


4.03. Mortality from causes considered preventable (provisional)




4.04i. Under 75 mortality rate from cardiovascular diseases (including heart disease and stroke) (Provisional)




4.04ii. Under 75 mortality rate from cardiovascular diseases that is considered preventable (including heart disease and stroke) (Provisional)




4.05i. Under 75 mortality rate from cancer (Provisional)




4.05ii. Under 75 mortality rate from cancer that is considered preventable (Provisional)




4.06i. Under 75 mortality rate from liver disease (Provisional)




4.06ii. Under 75 mortality rate from liver disease that is considered preventable (Provisional)




4.07i. Under 75 mortality rate from respiratory diseases (Provisional)



4.07ii. Under 75 mortality rate from respiratory diseases that is considered preventable (Provisional)



4.10. Suicide rate




Kensington and Chelsea


Healthcare public health and preventing premature mortality continued

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.


4.11. Emergency readmissions within 30 days of discharge from hospital (persons)



4.11. Emergency readmissions within 30 days of discharge from hospital (males)




4.11. Emergency readmissions within 30 days of discharge from hospital (females)




4.12i. Preventable sight loss - age related macular degeneration (AMD)




4.12ii. Preventable sight loss - glaucoma




4.12iii. Preventable sight loss - diabetic eye disease




4.12iv. Preventable sight loss - sight loss certifications




4.14i. Hip fractures in people aged 65 and over



4.14ii. Hip fractures in people aged 65 and over - aged 65-79



4.14iii. Hip fractures in people aged 65 and over - aged 80+




Inequalities

The Public Health Outcomes Framework focuses the whole system on achieving positive health outcomes for the population and reducing inequalities in health. The majority of indicators in this framework have the potential to impact on inequalities and we aspire to make it possible for all indicators to be disaggregated by equalities characteristics and by socioeconomic analysis wherever possible in order to support work locally to reduce in-area health inequalities where these persist. However, in this first publication, as well as breaking down some of the local authority level indicators by gender or age, we are also presenting data by equalities characteristics for a small number of indicators at national level only. These indicators are presented in this section.


1.03 - Pupil absence - by gender England 2010/11

| | Value | LCI | UCI |
|---------|-------|------|------|
| England | — | 5.79 | 5.78 |
| Male | ● | 5.75 | 5.72 |
| Female | ○ | 5.84 | 5.82 |




1.03 - Pupil absence - by ethnicity England 2010/11

| | Value | LCI | UCI |
|---------|-------|------|------|
| England | — | 5.79 | 5.81 |
| White | ○ | 5.84 | 5.86 |
| Mixed | ○ | 6.17 | 6.08 |
| Asian | ○ | 5.92 | 5.86 |
| Black | ● | 4.54 | 4.46 |
| Chinese | ● | 3.36 | 3.13 |
| Other | ■ | 5.88 | 5.72 |



1.03 - Pupil absence - by deprivation England 2010/11

| | Value | LCI | UCI |
|---------------------------|-------|------|------|
| England | — | 5.79 | 5.81 |
| Decile 1 (least deprived) | ● | 4.23 | 4.17 |
| Decile 2 | ● | 4.54 | 4.48 |
| Decile 3 | ● | 4.84 | 4.78 |
| Decile 4 | ● | 5.09 | 5.03 |
| Decile 5 | ● | 5.43 | 5.37 |
| Decile 6 | ■ | 5.78 | 5.72 |
| Decile 7 | ○ | 6.16 | 6.10 |
| Decile 8 | ○ | 6.48 | 6.42 |
| Decile 9 | ○ | 6.83 | 6.77 |
| Decile 10 (most deprived) | ○ | 6.98 | 6.92 |




Key: ● Significantly lower ■ Similar ○ Significantly higher

Kensington and Chelsea


1.06i - Percentage of all adults with learning disabilities who are known to the council, who are recorded as living in their own home or with their family - by gender England 2010/11

| | Value | LCI | UCI |
|---------|-------|-----|-----|
| England | 59.00 | - | - |
| Male | 58.20 | - | - |
| Female | 60.00 | - | - |




2.06i - Percentage of children aged 4-5 classified as overweight or obese - by ethnicity England 2010/11

| | Value | LCI | UCI |
|----------------------------|-------|-------|-------|
| England | 22.60 | 22.50 | 22.70 |
| White British | 22.50 | 22.30 | 22.60 |
| White Irish | 23.80 | 21.80 | 25.90 |
| Any Other White Background | 23.10 | 22.60 | 23.60 |
| White and Black Caribbean | 25.50 | 24.40 | 26.70 |
| White and Black African | 26.90 | 25.30 | 28.50 |
| White and Asian | 16.90 | 15.90 | 18.00 |
| Any Other Mixed Background | 22.00 | 21.10 | 23.00 |
| Indian | 16.40 | 15.80 | 17.10 |
| Pakistani | 20.60 | 20.10 | 21.20 |
| Bangladeshi | 22.00 | 21.10 | 22.90 |
| Any Other Asian Background | 20.10 | 19.20 | 21.00 |
| Black Caribbean | 26.80 | 25.70 | 28.00 |
| Black African | 31.50 | 30.80 | 32.30 |
| Any Other Black Background | 29.30 | 28.00 | 30.50 |
| Chinese | 18.50 | 16.70 | 20.40 |
| Any Other Ethnic Group | 24.90 | 24.00 | 25.80 |
| Not stated / Invalid | 22.30 | 22.00 | 22.60 |



2.06i - Percentage of children aged 4-5 classified as overweight or obese - by deprivation England 2010/11


| | Value | LCI | UCI |
|---------------------------|-------|-------|-------|
| England | 22.60 | 22.50 | 22.70 |
| Decile 1 (least deprived) | 18.20 | 17.90 | 18.50 |
| Decile 2 | 19.50 | 19.20 | 19.90 |
| Decile 3 | 20.20 | 19.90 | 20.60 |
| Decile 4 | 21.10 | 20.80 | 21.50 |
| Decile 5 | 21.90 | 21.50 | 22.30 |
| Decile 6 | 22.80 | 22.50 | 23.20 |
| Decile 7 | 23.70 | 23.40 | 24.10 |
| Decile 8 | 24.20 | 23.80 | 24.50 |
| Decile 9 | 25.40 | 25.10 | 25.70 |
| Decile 10 (most deprived) | 25.90 | 25.60 | 26.20 |




Key: ● Significantly lower ● Similar ● Significantly higher

2.06ii - Percentage of children aged 10-11 classified as overweight or obese - by ethnicity England 2010/11


| | Value | LCI | UCI |
|----------------------------|-------|-------|-------|
| England | 33.40 | 33.30 | 33.50 |
| White British | 32.00 | 31.80 | 32.20 |
| White Irish | 31.80 | 29.50 | 34.20 |
| Any Other White Background | 35.20 | 34.60 | 35.90 |
| White and Black Caribbean | 38.40 | 37.10 | 39.80 |
| White and Black African | 39.90 | 37.70 | 42.20 |
| White and Asian | 30.60 | 29.10 | 32.20 |
| Any Other Mixed Background | 35.30 | 34.00 | 36.60 |
| Indian | 34.50 | 33.60 | 35.40 |
| Pakistani | 37.90 | 37.20 | 38.70 |
| Bangladeshi | 39.70 | 38.60 | 40.90 |
| Any Other Asian Background | 37.30 | 36.10 | 38.60 |
| Black Caribbean | 42.20 | 41.00 | 43.50 |
| Black African | 43.50 | 42.60 | 44.40 |
| Any Other Black Background | 42.20 | 40.70 | 43.80 |
| Chinese | 29.80 | 27.50 | 32.20 |
| Any Other Ethnic Group | 39.80 | 38.70 | 40.90 |
| Not stated / Invalid | 32.60 | 32.30 | 32.90 |

**2.06ii - Percentage of children aged 10-11 classified as overweight or obese - by deprivation England 2010/11**

| | Value | LCI | UCI |
|---------------------------|-------|-------|-------|
| England | 33.40 | 33.30 | 33.50 |
| Decile 1 (least deprived) | 26.10 | 25.70 | 26.50 |
| Decile 2 | 29.00 | 28.60 | 29.40 |
| Decile 3 | 30.30 | 29.90 | 30.70 |
| Decile 4 | 31.10 | 30.70 | 31.60 |
| Decile 5 | 32.60 | 32.20 | 33.00 |
| Decile 6 | 33.90 | 33.40 | 34.30 |
| Decile 7 | 35.40 | 35.00 | 35.80 |
| Decile 8 | 36.70 | 36.20 | 37.10 |
| Decile 9 | 38.30 | 37.90 | 38.70 |
| Decile 10 (most deprived) | 38.10 | 37.80 | 38.50 |

**3.02 - Chlamydia diagnosis (15-24 year olds) - by gender England 2010**

| | Value | LCI | UCI |
|---------|-------|-------|-------|
| England | 2,220 | 2,209 | 2,232 |
| Males | 1,504 | 1,491 | 1,517 |
| Females | 2,965 | 2,947 | 2,984 |



Key: ● Significantly lower ○ Similar ○ Significantly higher