

**Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Barking and Dagenham, 2001-2012** <sup>1,2,3,4,5,6,7,8</sup>

														<i>Deaths</i>	
<b>Sex</b>	<b>Rank</b>	<b>Group Description</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>Grand Total</b>
Males	1	Ischaemic heart diseases	213	173	201	148	142	139	101	107	121	119	83	98	1,645
	2	Malignant neoplasm of trachea, bronchus and lung	68	62	60	49	64	57	59	65	57	45	62	46	694
	3	Chronic lower respiratory diseases	51	47	62	54	67	45	55	52	54	32	53	44	616
	4	Cerebrovascular diseases	53	55	57	57	50	50	33	44	30	29	49	33	540
	5	Influenza and pneumonia	47	42	74	40	45	40	48	36	35	21	28	28	484
	6	Malignant neoplasm of prostate	27	20	20	27	25	18	28	18	18	16	22	31	270
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	18	32	18	16	21	28	12	20	15	13	17	12	222
	8	Aortic aneurysm and dissection	29	19	16	26	13	19	21	13	17	16	13	8	210
	9*	Dementia and Alzheimer's disease	11	6	10	13	10	18	9	16	18	16	24	31	182
	9*	Malignant neoplasms of lymphoid, haematopoietic and related tissue	17	9	20	17	17	13	13	16	14	16	17	13	182
	18	Malignant neoplasm of bladder	13	6	8	8	8	8	6	5	7	6	4	8	87

														<i>Deaths</i>	
<b>Sex</b>	<b>Rank</b>	<b>Group Description</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>Grand Total</b>
Females	1	Ischaemic heart diseases	169	129	147	131	127	94	91	98	104	72	64	56	1,282
	2	Cerebrovascular diseases	109	89	93	73	78	74	79	65	58	50	50	47	865
	3	Influenza and pneumonia	65	78	101	68	66	74	49	69	49	43	55	56	773
	4	Chronic lower respiratory diseases	52	57	66	46	71	57	40	51	53	47	41	59	640
	5	Malignant neoplasm of trachea, bronchus and lung	51	45	46	35	41	40	42	48	47	38	37	51	521
	6	Dementia and Alzheimer's disease	25	33	37	32	25	24	31	38	37	41	54	65	442
	7	Malignant neoplasms of breast	34	32	35	34	36	30	31	28	33	28	20	27	368
	8	Diseases of the urinary system	28	18	22	16	27	27	22	34	34	28	16	15	287
	9	Heart failure and complications and ill-defined heart disease	19	33	21	24	27	21	17	17	21	24	8	15	247
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	18	17	20	19	14	20	16	12	19	18	18	17	208
	25	Malignant neoplasm of bladder	1	5	5	9	5	3	4	4	5	5	5	6	57

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Barnet, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	259	257	235	238	220	223	180	213	199	200	155	155	2,534
	2	Cerebrovascular diseases	123	96	98	92	81	74	74	67	82	76	69	78	1,010
	3	Influenza and pneumonia	80	88	81	70	71	59	61	82	84	75	59	52	862
	4	Malignant neoplasm of trachea, bronchus and lung	95	69	71	72	62	63	67	57	59	56	65	63	799
	5	Chronic lower respiratory diseases	69	56	64	61	55	59	38	55	46	52	46	56	657
	6	Heart failure and complications and ill-defined heart disease	44	45	42	37	55	47	43	56	39	60	34	51	553
	7	Malignant neoplasm of prostate	43	39	51	37	37	49	46	39	45	38	52	49	525
	8	Dementia and Alzheimer's disease	31	27	24	22	21	27	29	35	33	41	65	65	420
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	31	38	31	37	23	35	39	33	38	32	37	40	414
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	25	37	35	29	30	33	30	37	28	44	25	27	380
	19	Malignant neoplasm of bladder	14	16	15	6	9	6	10	15	11	7	15	15	139

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	246	231	196	199	172	170	137	171	168	163	142	128	2,123
	2	Cerebrovascular diseases	179	171	157	123	147	128	121	112	121	112	105	95	1,571
	3	Influenza and pneumonia	142	139	144	123	138	102	116	136	105	102	92	91	1,430
	4	Heart failure and complications and ill-defined heart disease	88	94	94	104	117	88	78	92	102	107	110	134	1,208
	5	Dementia and Alzheimer's disease	48	68	71	71	44	71	59	69	64	90	130	129	914
	6	Malignant neoplasms of breast	66	68	71	80	59	47	47	68	55	63	63	50	737
	7	Malignant neoplasm of trachea, bronchus and lung	44	48	43	58	54	44	51	62	71	59	60	46	640
	8	Chronic lower respiratory diseases	51	59	55	32	57	47	41	33	43	47	45	60	570
	9	Diseases of the urinary system	38	48	44	44	37	42	37	44	38	43	25	28	468
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	39	37	32	51	43	31	33	25	35	32	28	33	419
	36*	Malignant neoplasm of bladder	8	2	3	4	4	6	4	5	7	5	4	6	58

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Bexley, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	218	209	187	211	187	180	168	163	144	147	151	139	2,104
	2	Malignant neoplasm of trachea, bronchus and lung	88	83	68	62	69	72	95	65	73	55	84	65	879
	3	Cerebrovascular diseases	89	97	82	73	62	91	72	76	59	63	43	45	852
	4	Chronic lower respiratory diseases	65	61	64	55	60	49	57	53	56	56	62	40	678
	5	Influenza and pneumonia	39	35	39	33	44	39	27	43	30	24	37	50	440
	6	Malignant neoplasm of prostate	50	36	37	50	33	28	34	34	28	29	35	29	423
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	29	21	34	30	34	23	23	19	37	27	31	36	344
	8	Dementia and Alzheimer's disease	13	22	18	18	11	27	23	26	26	28	32	53	297
	9	Heart failure and complications and ill-defined heart disease	22	30	22	19	19	31	19	24	35	26	16	27	290
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	18	25	27	28	23	24	14	29	20	23	24	24	279
	18	Malignant neoplasm of bladder	17	16	10	10	13	9	13	13	16	7	8	140	

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	175	176	190	170	150	145	132	133	124	135	105	110	1,745
	2	Cerebrovascular diseases	136	137	172	145	118	115	107	113	80	99	78	59	1,359
	3	Influenza and pneumonia	93	80	89	60	53	57	66	63	63	54	50	49	777
	4	Dementia and Alzheimer's disease	48	50	54	35	44	43	42	41	51	62	100	126	696
	5	Malignant neoplasm of trachea, bronchus and lung	37	37	53	44	46	55	58	59	55	66	53	61	624
	6	Chronic lower respiratory diseases	49	54	56	50	60	50	43	44	40	42	38	58	584
	7	Malignant neoplasms of breast	51	46	55	36	34	43	46	43	51	33	35	37	510
	8	Heart failure and complications and ill-defined heart disease	33	29	35	42	32	21	29	57	50	37	21	15	401
	9	Diseases of the urinary system	16	33	35	34	46	42	35	44	30	27	23	21	386
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	22	31	21	28	20	20	26	23	29	26	23	24	293
	29	Malignant neoplasm of bladder	3	5	8	8	5	1	4	9	2	4	2	6	57

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Brent, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

			<i>Deaths</i>												
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	223	215	180	178	162	148	157	153	141	142	121	170	1,990
	2	Cerebrovascular diseases	79	69	67	63	74	60	59	60	66	60	49	61	767
	3	Malignant neoplasm of trachea, bronchus and lung	54	54	51	60	54	60	47	58	45	63	46	46	638
	4	Influenza and pneumonia	48	46	70	53	45	42	52	46	41	48	36	55	582
	5	Chronic lower respiratory diseases	45	60	49	40	44	32	36	29	31	28	36	40	470
	6	Malignant neoplasm of prostate	30	34	40	42	33	19	32	34	43	29	24	28	388
	7	Malignant neoplasms of lymphoid, haematopoietic and related tissue	20	27	26	23	21	16	27	20	28	20	24	23	275
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	25	26	27	23	22	15	24	15	22	31	20	14	264
	9	Cirrhosis and other diseases of liver	13	26	17	24	27	33	21	17	25	13	22	23	261
	10	Heart failure and complications and ill-defined heart disease	13	18	21	23	20	16	24	19	21	23	15	33	246
	22	Malignant neoplasm of bladder	8	5	4	10	7	9	3	8	4	13	12	13	96

			<i>Deaths</i>												
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	136	139	123	105	110	99	94	99	94	102	96	101	1,298
	2	Cerebrovascular diseases	104	76	93	94	79	78	71	75	69	71	63	55	928
	3	Influenza and pneumonia	60	59	65	71	74	46	48	58	48	54	31	49	663
	4	Heart failure and complications and ill-defined heart disease	29	43	42	46	42	47	28	34	42	54	37	50	494
	5	Malignant neoplasms of breast	46	46	44	34	42	33	31	39	28	33	37	31	444
	6	Malignant neoplasm of trachea, bronchus and lung	31	27	31	28	28	22	29	34	40	29	38	47	384
	7	Chronic lower respiratory diseases	36	40	30	32	26	22	25	26	32	24	15	34	342
	8	Dementia and Alzheimer's disease	22	21	15	15	19	23	23	28	20	30	41	44	301
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	25	21	23	26	24	15	15	23	14	18	19	22	245
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	21	13	18	16	17	13	21	16	26	23	21	15	220
	31	Malignant neoplasm of bladder	5	4	3	3	1	8	6	3	1	3	1	8	46

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Bromley, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	279	262	239	247	223	212	220	199	203	202	201	178	2,665
	2	Cerebrovascular diseases	123	108	93	91	84	71	101	86	109	88	68	62	1,084
	3	Malignant neoplasm of trachea, bronchus and lung	78	78	102	96	83	88	84	72	79	75	72	69	976
	4	Chronic lower respiratory diseases	76	65	80	72	75	66	62	61	70	54	49	68	798
	5	Influenza and pneumonia	79	75	84	82	64	50	61	85	55	47	42	48	772
	6	Malignant neoplasm of prostate	54	43	53	57	64	59	47	57	59	62	49	48	652
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	49	44	47	48	37	38	44	43	48	43	43	34	518
	8	Dementia and Alzheimer's disease	20	25	23	14	29	33	44	35	35	40	64	85	447
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	44	39	32	32	33	28	41	22	30	25	28	26	380
	10	Heart failure and complications and ill-defined heart disease	19	26	36	33	34	25	27	31	39	36	27	16	349
	18	Malignant neoplasm of bladder	18	15	12	9	18	15	19	18	16	7	19	25	191

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	243	223	215	211	186	184	182	173	165	140	150	132	2,204
	2	Cerebrovascular diseases	199	161	207	161	180	150	165	133	143	145	116	146	1,906
	3	Influenza and pneumonia	119	159	137	125	110	91	105	118	92	67	89	92	1,304
	4	Dementia and Alzheimer's disease	77	85	62	73	59	70	90	106	106	102	137	140	1,107
	5	Chronic lower respiratory diseases	56	73	67	70	65	63	66	54	45	66	57	80	762
	6	Malignant neoplasm of trachea, bronchus and lung	60	56	80	62	59	56	63	54	69	64	67	67	757
	7	Malignant neoplasms of breast	65	69	61	68	56	66	65	55	57	66	72	54	754
	8	Heart failure and complications and ill-defined heart disease	64	80	81	64	47	43	47	41	51	51	37	28	634
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	42	39	38	36	31	43	41	43	30	48	36	37	464
	10	Diseases of the urinary system	32	22	39	36	46	43	38	38	33	51	32	41	451
	29	Malignant neoplasm of bladder	7	5	10	8	10	2	10	7	6	7	10	8	90

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Croydon, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

			<i>Deaths</i>												
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	242	242	245	225	189	210	184	192	184	218	205	195	2,531
	2	Cerebrovascular diseases	120	124	113	95	92	89	80	64	62	76	60	51	1,026
	3	Chronic lower respiratory diseases	82	78	94	89	75	81	69	77	69	65	58	80	917
	4	Malignant neoplasm of trachea, bronchus and lung	65	76	74	88	65	73	78	73	63	65	74	83	877
	5	Influenza and pneumonia	95	81	80	60	66	51	58	58	70	72	55	55	801
	6	Malignant neoplasm of prostate	42	47	49	52	55	56	46	51	26	59	46	43	572
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	41	30	32	33	34	34	42	39	36	33	31	41	426
	8	Dementia and Alzheimer's disease	16	15	19	26	18	23	24	24	36	35	61	78	375
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	30	29	21	24	31	32	27	30	31	27	34	42	358
	10	Heart failure and complications and ill-defined heart disease	17	24	24	28	32	31	24	25	44	44	29	11	333
	20*	Malignant neoplasm of bladder	15	15	16	15	11	12	17	11	17	12	17	5	163

			<i>Deaths</i>												
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	215	225	202	194	184	137	146	144	156	148	134	134	2,019
	2	Cerebrovascular diseases	181	155	169	149	149	109	121	125	107	114	108	89	1,576
	3	Influenza and pneumonia	165	150	158	134	124	117	77	110	107	103	101	87	1,433
	4	Dementia and Alzheimer's disease	53	51	40	47	37	69	56	76	60	72	114	123	798
	5	Chronic lower respiratory diseases	39	58	60	66	65	69	58	68	65	51	49	87	735
	6	Malignant neoplasms of breast	61	72	64	69	67	67	53	40	45	55	49	54	696
	7	Malignant neoplasm of trachea, bronchus and lung	55	58	51	59	53	48	63	60	51	43	53	64	658
	8	Heart failure and complications and ill-defined heart disease	41	51	40	26	27	45	49	37	36	48	33	24	457
	9	Diseases of the urinary system	30	25	34	40	39	48	36	45	33	37	36	31	434
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	26	39	28	31	28	40	27	35	30	33	26	24	367
	30	Malignant neoplasm of bladder	5	7	5	5	3	3	6	10	3	7	14	5	73

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Ealing, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	260	229	255	224	204	188	197	188	179	180	169	143	2416
	2	Cerebrovascular diseases	85	80	83	84	69	77	61	52	57	75	49	50	822
	3	Influenza and pneumonia	98	72	77	76	77	60	65	60	54	49	56	67	811
	4	Malignant neoplasm of trachea, bronchus and lung	69	49	76	68	67	61	72	51	67	50	58	64	752
	5	Chronic lower respiratory diseases	48	63	51	46	53	53	35	44	53	59	44	46	595
	6	Malignant neoplasm of prostate	41	43	32	29	49	42	27	32	29	34	37	36	431
	7	Cirrhosis and other diseases of liver	31	33	37	32	32	25	13	29	34	34	24	27	351
	8	Malignant neoplasms of lymphoid, haematopoietic and related tissue	30	22	27	19	19	31	29	22	26	22	27	26	300
	9	Heart failure and complications and ill-defined heart disease	17	21	27	23	20	21	22	19	33	35	28	24	290
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	19	25	32	21	18	23	21	23	23	27	18	32	282
	18	Malignant neoplasm of bladder	10	12	11	12	15	10	9	6	12	14	11	12	134

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	162	162	156	150	139	119	116	106	113	91	92	84	1490
	2	Influenza and pneumonia	127	127	117	117	103	69	76	77	80	64	52	54	1063
	3	Cerebrovascular diseases	105	116	103	100	85	108	71	92	82	75	62	56	1055
	4	Malignant neoplasms of breast	45	38	52	45	48	34	45	48	54	36	50	50	545
	5	Heart failure and complications and ill-defined heart disease	45	39	38	39	44	27	45	58	38	43	54	63	533
	6	Dementia and Alzheimer's disease	44	37	31	33	29	26	20	47	36	53	66	110	532
	7	Malignant neoplasm of trachea, bronchus and lung	49	36	36	43	48	41	45	39	53	50	42	35	517
	8	Chronic lower respiratory diseases	40	37	48	50	28	41	37	45	35	37	52	42	492
	9	Diseases of the urinary system	30	31	36	27	36	25	35	41	40	34	20	24	379
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	23	26	14	26	24	26	27	28	34	24	19	22	293
	31	Malignant neoplasm of bladder	3	6	6	4	7	6	7	4	3	10	4	6	66

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Enfield, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	242	220	221	214	197	179	172	164	167	155	136	154	2,221
	2	Cerebrovascular diseases	87	104	86	80	64	72	70	96	64	71	61	47	902
	3	Malignant neoplasm of trachea, bronchus and lung	65	66	69	70	60	53	68	76	82	50	76	75	810
	4	Influenza and pneumonia	68	96	95	75	65	42	37	39	44	52	59	43	715
	5	Chronic lower respiratory diseases	47	52	49	49	50	46	45	51	55	43	43	47	577
	6	Malignant neoplasm of prostate	40	34	35	36	35	34	30	43	43	23	37	24	414
	7	Heart failure and complications and ill-defined heart disease	40	30	41	30	22	26	40	48	28	41	22	31	399
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	30	33	35	37	35	30	25	30	35	22	31	29	372
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	22	38	32	35	39	25	26	18	32	26	28	29	350
	10	Dementia and Alzheimer's disease	23	20	25	21	25	28	20	20	25	30	49	42	328
	18	Malignant neoplasm of bladder	11	7	12	9	11	15	19	16	10	9	11	13	143

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	210	192	164	169	172	148	149	140	114	132	89	118	1,797
	2	Cerebrovascular diseases	157	151	171	134	120	121	100	96	105	100	84	80	1,419
	3	Influenza and pneumonia	135	140	178	111	105	78	59	76	86	71	63	75	1,177
	4	Heart failure and complications and ill-defined heart disease	65	89	116	82	80	58	69	85	85	74	66	115	984
	5	Dementia and Alzheimer's disease	60	69	59	61	58	56	53	44	64	65	86	101	776
	6	Malignant neoplasms of breast	52	43	50	43	54	54	50	60	43	46	45	50	590
	7	Malignant neoplasm of trachea, bronchus and lung	51	42	42	45	31	46	38	45	52	48	39	52	531
	8	Chronic lower respiratory diseases	43	43	49	33	45	37	25	54	38	36	46	52	501
	9	Diseases of the urinary system	17	28	35	31	36	35	33	34	31	43	14	14	351
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	33	32	25	31	36	24	23	35	23	22	33	23	340
	32	Malignant neoplasm of bladder	5	7	6	6	3	7	5	3	4	5	5	2	58

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics



Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Greenwich, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	193	193	209	167	183	164	166	149	157	111	104	118	1,914
	2	Malignant neoplasm of trachea, bronchus and lung	73	67	66	70	80	71	75	64	72	53	72	55	818
	3	Cerebrovascular diseases	89	80	83	75	76	78	57	56	52	50	55	52	803
	4	Chronic lower respiratory diseases	72	63	81	66	60	59	66	66	60	47	56	54	750
	5	Influenza and pneumonia	49	48	44	34	54	53	35	39	36	36	24	19	471
	6	Dementia and Alzheimer's disease	18	26	21	22	28	36	29	30	32	26	51	54	373
	7	Malignant neoplasm of prostate	22	33	28	23	49	24	31	23	26	33	28	30	350
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	21	39	27	20	20	15	31	19	21	19	16	20	268
	9	Cirrhosis and other diseases of liver	18	21	20	21	25	34	26	21	23	16	15	17	257
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	18	21	17	22	22	24	16	16	19	14	23	12	224
	18	Malignant neoplasm of bladder	14	7	12	9	9	11	8	9	14	12	8	9	122

		<i>Deaths</i>													
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	152	144	150	153	154	124	115	128	98	95	81	77	1,471
	2	Cerebrovascular diseases	133	140	159	105	96	97	89	79	74	86	61	55	1,174
	3	Dementia and Alzheimer's disease	43	46	51	51	58	41	65	83	57	80	96	134	805
	4	Chronic lower respiratory diseases	71	39	58	50	66	47	44	54	53	64	54	66	666
	5	Influenza and pneumonia	69	76	68	54	53	56	45	57	55	54	28	47	662
	6	Malignant neoplasm of trachea, bronchus and lung	40	58	53	47	50	47	56	48	42	54	40	42	577
	7	Malignant neoplasms of breast	44	48	45	36	35	39	31	29	36	33	31	25	432
	8	Diseases of the urinary system	21	32	25	34	39	43	27	37	28	28	16	23	353
	9	Heart failure and complications and ill-defined heart disease	28	28	41	19	14	22	19	22	20	22	20	9	264
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	19	22	29	30	28	22	13	16	24	20	18	13	254
	28	Malignant neoplasm of bladder	8	6	2	5	9	3	3	2	5	3	5	4	55

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Harrow, 2001-2012<sup>1,2,3,4,5,6,7,8</sup>

Sex	Rank	Group Description	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Males	1	Ischaemic heart diseases	158	186	175	172	148	151	163	139	130	136	124	134	1,816
	2	Cerebrovascular diseases	83	66	66	53	56	58	47	45	47	44	43	40	648
	3	Influenza and pneumonia	52	63	42	38	41	47	37	45	45	38	57	66	571
	4	Malignant neoplasm of trachea, bronchus and lung	58	47	53	54	45	40	28	35	43	41	42	57	543
	5	Chronic lower respiratory diseases	30	39	35	42	36	42	32	31	39	25	26	31	408
	6	Malignant neoplasm of prostate	30	32	21	37	41	40	23	28	27	26	26	14	345
	7	Heart failure and complications and ill-defined heart disease	17	24	21	28	23	26	15	20	24	21	29	13	261
	8	Malignant neoplasms of lymphoid, haematopoietic and related tissue	28	28	15	15	25	24	26	20	14	19	22	21	257
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	19	22	30	23	13	21	25	22	16	16	18	24	249
	10	Dementia and Alzheimer's disease	22	13	15	10	13	14	9	10	17	12	23	21	179
	17*	Malignant neoplasm of bladder	6	11	4	7	12	15	6	8	9	9	8	7	102

Sex	Rank	Group Description	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Females	1	Ischaemic heart diseases	142	134	140	127	105	97	121	107	98	80	104	84	1,339
	2	Cerebrovascular diseases	94	85	106	90	89	74	68	65	76	50	47	62	906
	3	Influenza and pneumonia	79	70	78	81	76	63	72	63	76	61	48	60	827
	4	Heart failure and complications and ill-defined heart disease	25	62	62	64	63	63	47	57	70	57	58	63	691
	5	Malignant neoplasms of breast	38	36	49	39	43	42	39	41	28	47	44	41	487
	6	Dementia and Alzheimer's disease	46	35	26	28	21	31	32	25	26	28	38	49	385
	7	Malignant neoplasm of trachea, bronchus and lung	25	23	35	21	38	26	33	28	22	32	33	28	344
	8	Chronic lower respiratory diseases	31	33	29	21	23	21	20	28	32	26	26	32	322
	9	Diseases of the urinary system	23	15	21	21	25	27	17	21	15	21	22	16	244
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	19	21	21	20	19	21	21	19	16	21	13	16	227
	32*	Malignant neoplasm of bladder	6	2	5	4	2	8	2	3	3	3	5	5	48

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Havering, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	260	277	244	239	213	185	223	202	179	190	152	162	2,526
	2	Malignant neoplasm of trachea, bronchus and lung	102	83	85	85	84	83	59	75	72	89	73	70	960
	3	Cerebrovascular diseases	98	95	85	83	71	94	71	77	60	76	61	56	927
	4	Chronic lower respiratory diseases	62	74	93	70	72	61	75	79	59	54	72	74	845
	5	Influenza and pneumonia	72	67	56	67	51	59	52	70	79	56	36	65	730
	6	Malignant neoplasm of prostate	48	52	39	44	38	40	48	44	42	46	45	45	531
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	29	33	36	40	34	24	34	31	51	29	33	24	398
	8	Dementia and Alzheimer's disease	27	23	12	17	17	19	27	15	43	34	63	77	374
	9	Aortic aneurysm and dissection	34	36	34	26	24	35	20	19	22	25	17	27	319
	10	Heart failure and complications and ill-defined heart disease	16	27	32	28	29	30	21	21	30	25	8	18	285
	17	Malignant neoplasm of bladder	7	15	15	16	17	11	13	13	16	17	13	9	162

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	210	237	206	172	188	139	153	145	141	137	91	138	1,957
	2	Cerebrovascular diseases	145	144	156	120	141	117	85	113	127	100	98	86	1,432
	3	Influenza and pneumonia	100	113	114	99	106	119	98	109	87	92	83	75	1,195
	4	Dementia and Alzheimer's disease	63	61	62	51	41	38	57	67	72	90	136	170	908
	5	Chronic lower respiratory diseases	46	67	79	65	67	79	56	62	58	57	56	94	786
	6	Malignant neoplasm of trachea, bronchus and lung	50	50	53	53	70	54	77	65	63	63	71	67	736
	7	Malignant neoplasms of breast	73	59	57	51	57	45	56	50	61	31	54	48	642
	8	Heart failure and complications and ill-defined heart disease	32	30	52	34	41	47	37	29	27	29	19	25	402
	9	Diseases of the urinary system	22	23	31	40	36	41	36	35	40	40	23	19	386
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	30	33	32	23	41	25	29	33	34	30	29	27	366
	25*	Malignant neoplasm of bladder	4	12	14	6	8	5	7	11	6	6	7	7	93

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website:

[www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Hillingdon, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

Sex	Rank	Group Description	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Males	1	Ischaemic heart diseases	227	232	204	189	197	182	202	158	132	129	154	131	2,137
	2	Malignant neoplasm of trachea, bronchus and lung	86	74	64	76	48	77	63	73	52	70	61	64	808
	3	Influenza and pneumonia	61	65	73	83	63	65	53	60	50	49	66	44	732
	4	Cerebrovascular diseases	73	66	70	78	62	69	50	54	47	48	45	56	718
	5	Chronic lower respiratory diseases	50	49	73	43	44	38	32	60	51	49	50	58	597
	6	Malignant neoplasm of prostate	31	41	27	32	31	34	30	43	36	42	40	53	440
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	33	32	31	14	25	29	29	29	35	27	16	31	331
	8	Dementia and Alzheimer's disease	26	22	17	9	21	14	16	23	26	28	42	47	291
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	21	21	21	20	23	27	18	25	31	21	27	25	280
	10	Cirrhosis and other diseases of liver	20	20	26	30	17	35	21	21	21	22	13	30	276
	17	Malignant neoplasm of bladder	11	9	9	14	8	16	18	13	11	7	10	13	139

Sex	Rank	Group Description	Deaths												Grand Total
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
Females	1	Ischaemic heart diseases	174	174	162	142	118	124	139	134	93	88	97	93	1,538
	2	Cerebrovascular diseases	136	115	138	106	96	76	74	81	71	87	68	64	1,112
	3	Influenza and pneumonia	91	93	105	116	103	87	74	86	55	57	65	70	1,002
	4	Chronic lower respiratory diseases	47	37	60	64	56	35	64	55	50	54	53	53	628
	5	Malignant neoplasm of trachea, bronchus and lung	43	53	48	44	55	47	54	48	48	50	36	66	592
	6	Heart failure and complications and ill-defined heart disease	29	28	31	33	48	44	59	45	67	68	57	66	575
	7	Malignant neoplasms of breast	53	52	47	60	56	37	37	41	45	43	39	53	563
	8	Dementia and Alzheimer's disease	41	54	43	38	25	22	28	40	47	34	71	86	529
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	17	31	19	29	25	23	30	26	23	21	23	32	299
	10	Diseases of the urinary system	18	13	29	17	22	36	23	22	29	26	16	25	276
	27*	Malignant neoplasm of bladder	9	5	5	2	6	6	8	4	6	6	5	6	68

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Hownslow, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	180	171	144	154	144	123	138	121	111	128	111	99	1,624
	2	Cerebrovascular diseases	64	70	70	59	57	46	52	45	53	42	37	37	632
	3	Malignant neoplasm of trachea, bronchus and lung	42	64	43	52	47	60	52	48	61	47	44	51	611
	4	Influenza and pneumonia	60	62	46	60	55	38	38	38	32	36	38	45	548
	5	Chronic lower respiratory diseases	43	50	50	42	39	47	44	41	28	38	46	52	520
	6	Malignant neoplasm of prostate	24	16	24	29	27	22	21	32	25	37	27	25	309
	7	Cirrhosis and other diseases of liver	25	27	34	20	15	21	23	28	18	21	19	21	272
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	30	29	25	10	16	14	21	28	21	19	23	25	261
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	18	22	24	19	13	14	28	13	19	15	18	25	228
	10	Heart failure and complications and ill-defined heart disease	21	10	27	17	31	13	19	15	16	23	7	15	214
18*	Malignant neoplasm of bladder	5	8	6	10	7	7	6	8	7	8	7	8	87	

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	136	117	131	116	101	94	75	86	77	85	82	64	1,164
	2	Cerebrovascular diseases	93	101	74	94	83	72	68	74	56	60	68	54	897
	3	Influenza and pneumonia	90	85	101	92	63	51	57	54	44	48	40	57	782
	4*	Chronic lower respiratory diseases	40	48	41	36	36	38	34	26	30	41	39	32	441
	4*	Malignant neoplasms of breast	46	37	42	41	38	32	24	21	44	34	43	39	441
	6	Dementia and Alzheimer's disease	40	25	36	24	29	19	23	43	35	33	63	69	439
	7	Malignant neoplasm of trachea, bronchus and lung	32	31	31	20	35	42	48	37	31	38	38	39	422
	8	Heart failure and complications and ill-defined heart disease	44	39	46	30	32	31	32	37	29	21	22	18	381
	9	Diseases of the urinary system	12	20	21	26	18	20	24	29	18	28	15	17	248
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	13	15	16	22	12	17	18	19	20	17	10	12	191
33	Malignant neoplasm of bladder	0	1	3	2	2	8	5	2	7	5	0	5	40	

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Kingston upon Thames, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	118	114	99	106	96	97	83	69	84	68	79	75	1,088
	2	Cerebrovascular diseases	59	48	61	49	41	39	39	35	33	34	29	19	486
	3	Influenza and pneumonia	43	43	42	33	35	30	33	41	22	31	24	35	412
	4	Malignant neoplasm of trachea, bronchus and lung	48	31	37	38	24	41	32	32	31	28	34	28	404
	5	Chronic lower respiratory diseases	31	24	27	20	20	22	31	27	22	24	25	33	306
	6	Malignant neoplasm of prostate	14	21	24	27	27	16	19	17	25	21	21	15	247
	7	Dementia and Alzheimer's disease	14	11	12	12	11	7	12	16	11	16	27	27	176
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	16	16	15	14	18	21	6	12	12	14	12	18	174
	9	Heart failure and complications and ill-defined heart disease	15	22	16	8	20	17	8	16	7	14	11	9	163
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	13	16	10	9	17	12	12	11	16	12	13	8	149
	17*	Malignant neoplasm of bladder	11	4	5	2	10	2	5	12	7	4	11	4	77

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Cerebrovascular diseases	104	84	95	86	76	65	78	59	75	65	58	51	896
	2	Ischaemic heart diseases	80	94	96	80	72	66	77	76	71	55	59	50	876
	3	Influenza and pneumonia	89	81	51	69	61	74	49	57	48	49	47	46	721
	4	Dementia and Alzheimer's disease	29	26	35	24	16	29	26	24	22	35	57	56	379
	5	Chronic lower respiratory diseases	27	20	24	20	24	20	38	30	14	20	26	35	298
	6	Malignant neoplasms of breast	19	39	30	21	20	25	22	26	20	28	18	22	290
	7	Malignant neoplasm of trachea, bronchus and lung	26	22	18	22	30	20	27	25	21	21	30	27	289
	8	Heart failure and complications and ill-defined heart disease	28	43	28	30	23	22	29	29	14	16	8	13	283
	9	Diseases of the urinary system	10	17	16	18	17	12	14	21	25	15	18	12	195
	10	Malignant neoplasm of colon, sigmoid, rectum and anus	20	16	19	17	18	17	15	13	20	11	10	15	191
	28	Malignant neoplasm of bladder	2	4	6	5	5	3	3	4	5	2	0	4	43

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Merton, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

														<i>Deaths</i>	
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	145	121	140	116	80	85	97	106	86	89	84	82	1,231
	2	Cerebrovascular diseases	61	58	67	41	55	41	33	43	41	45	35	33	553
	3	Malignant neoplasm of trachea, bronchus and lung	42	47	39	34	43	30	38	36	25	38	33	42	447
	4	Influenza and pneumonia	52	42	39	37	33	40	30	32	32	30	18	32	417
	5	Chronic lower respiratory diseases	45	42	55	25	29	32	28	24	33	27	28	27	395
	6	Heart failure and complications and ill-defined heart disease	21	20	31	29	36	30	29	23	28	25	20	14	306
	7	Malignant neoplasm of prostate	25	21	16	26	29	32	12	23	23	28	21	31	287
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	22	21	23	18	13	29	20	19	22	21	18	21	247
	9	Malignant neoplasms of lymphoid, haematopoietic and related tissue	13	18	19	23	17	20	23	14	16	14	21	13	211
	10	Dementia and Alzheimer's disease	14	9	16	5	13	11	15	19	10	16	35	28	191
	17*	Malignant neoplasm of bladder	12	9	11	5	3	4	7	8	6	9	6	6	86

														<i>Deaths</i>	
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	104	108	111	98	85	93	82	86	85	61	62	63	1,038
	2	Cerebrovascular diseases	100	82	99	84	80	78	60	77	55	49	52	47	863
	3	Influenza and pneumonia	61	67	61	51	48	43	52	56	40	33	41	40	593
	4	Malignant neoplasms of breast	46	35	33	35	38	44	33	28	27	31	26	27	403
	5	Chronic lower respiratory diseases	33	39	37	37	36	28	26	32	31	24	35	37	395
	6	Dementia and Alzheimer's disease	34	21	28	18	24	12	19	29	32	36	53	66	372
	7	Malignant neoplasm of trachea, bronchus and lung	38	26	30	31	30	29	35	25	35	21	30	39	369
	8	Heart failure and complications and ill-defined heart disease	30	22	37	37	24	27	29	21	26	27	16	17	313
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	15	22	21	19	25	23	26	24	19	13	27	13	247
	10	Diseases of the urinary system	18	18	20	21	18	17	12	22	18	21	9	17	211
	27	Malignant neoplasm of bladder	3	4	6	8	3	4	2	2	3	4	5	6	50

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Redbridge, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	266	214	237	178	217	158	158	172	163	153	144	141	2,201
	2	Cerebrovascular diseases	70	78	67	83	79	57	59	74	69	65	57	52	810
	3	Influenza and pneumonia	72	65	79	63	59	48	49	33	48	50	39	59	664
	4	Malignant neoplasm of trachea, bronchus and lung	74	68	47	60	33	60	54	62	40	59	42	44	643
	5	Chronic lower respiratory diseases	44	41	38	59	47	39	44	39	38	41	43	39	512
	6	Malignant neoplasm of prostate	37	38	30	23	50	27	30	25	29	33	34	28	384
	7	Dementia and Alzheimer's disease	20	28	20	11	21	24	20	21	22	27	45	43	302
	8	Malignant neoplasms of lymphoid, haematopoietic and related tissue	25	29	29	27	17	23	22	26	19	20	31	15	283
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	28	25	29	18	19	16	26	21	21	19	21	25	268
	10	Diseases of the urinary system	21	17	16	20	15	23	15	20	22	23	19	17	228
	17	Malignant neoplasm of bladder	6	8	10	12	11	15	13	11	14	12	13	11	136

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	179	191	208	152	170	163	140	140	118	112	97	96	1,766
	2	Cerebrovascular diseases	137	115	132	135	122	73	76	113	94	85	80	81	1,243
	3	Influenza and pneumonia	120	102	105	95	97	91	75	76	56	67	64	93	1,041
	4	Dementia and Alzheimer's disease	39	48	55	45	40	51	46	61	75	69	79	115	723
	5	Malignant neoplasms of breast	47	54	51	40	44	45	44	46	41	45	46	37	540
	6	Malignant neoplasm of trachea, bronchus and lung	41	46	47	33	41	37	29	34	51	37	42	32	470
	7	Chronic lower respiratory diseases	40	39	39	43	28	34	46	35	33	35	44	34	450
	8	Diseases of the urinary system	32	21	42	35	34	27	26	35	27	31	21	23	354
	9	Heart failure and complications and ill-defined heart disease	23	24	36	24	23	26	38	21	23	31	14	22	305
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	21	33	18	21	27	23	21	16	22	26	28	24	280
	27*	Malignant neoplasm of bladder	6	7	6	6	7	4	4	8	6	4	5	3	66

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics



Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Richmond upon Thames, 2001-2012<sup>1,2,3,4,5,6,7,8</sup>

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	103	123	109	122	111	95	94	91	88	86	67	76	1,165
	2	Cerebrovascular diseases	69	56	58	56	39	43	45	38	56	35	25	31	551
	3	Influenza and pneumonia	58	54	58	43	36	37	35	40	30	27	40	36	494
	4	Malignant neoplasm of trachea, bronchus and lung	37	36	52	31	32	41	36	32	26	40	36	44	443
	5	Chronic lower respiratory diseases	33	23	22	35	27	27	26	37	23	35	35	37	360
	6	Malignant neoplasm of prostate	26	24	15	32	21	24	27	27	17	27	27	21	288
	7	Malignant neoplasm of colon, sigmoid, rectum and anus	16	20	14	15	14	19	21	15	7	19	20	26	206
	8	Malignant neoplasms of lymphoid, haematopoietic and related tissue	14	18	20	22	14	14	16	10	16	17	21	22	204
	9	Heart failure and complications and ill-defined heart disease	19	19	20	17	11	22	15	19	13	20	8	5	188
	10	Dementia and Alzheimer's disease	13	9	5	9	11	10	14	13	13	9	42	33	181
	15	Malignant neoplasm of bladder	4	9	6	10	13	12	8	10	6	5	7	10	100

													<i>Deaths</i>		
Sex	Rank	Group Description	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Femal	1	Ischaemic heart diseases	106	104	108	83	82	87	70	80	65	53	67	63	968
	2	Cerebrovascular diseases	76	81	94	78	73	72	65	60	53	66	43	44	805
	3	Influenza and pneumonia	80	89	78	56	55	42	50	45	42	42	37	39	655
	4	Malignant neoplasm of trachea, bronchus and lung	34	28	40	37	31	39	39	33	28	29	27	39	404
	5	Dementia and Alzheimer's disease	20	25	21	22	32	24	31	24	29	34	60	77	399
	6	Malignant neoplasms of breast	42	29	26	34	35	44	27	34	26	34	29	21	381
	7	Chronic lower respiratory diseases	27	36	39	28	27	27	25	27	18	32	33	27	346
	8	Heart failure and complications and ill-defined heart disease	24	28	28	31	33	25	22	20	19	12	16	12	270
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	25	18	14	21	21	24	17	14	22	18	25	11	230
	10	Diseases of the urinary system	21	21	25	23	23	16	16	14	13	25	12	12	221
	34	Malignant neoplasm of bladder	2	3	2	6	2	2	2	5	3	2	2	6	37

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005. Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Sutton, 2001-2012 <sup>1,2,3,4,5,6,7,8</sup>

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Males	1	Ischaemic heart diseases	149	149	145	124	113	97	106	89	98	92	92	77	1,331
	2	Cerebrovascular diseases	54	57	60	49	67	57	48	52	41	36	46	50	617
	3	Malignant neoplasm of trachea, bronchus and lung	62	42	51	41	49	46	50	45	62	42	41	56	587
	4	Influenza and pneumonia	62	41	38	39	40	44	43	49	44	37	39	32	508
	5	Chronic lower respiratory diseases	50	38	45	31	23	29	37	32	42	37	48	42	454
	6	Heart failure and complications and ill-defined heart disease	23	39	34	33	45	35	36	49	35	37	23	10	399
	7	Malignant neoplasm of prostate	24	22	32	21	25	21	26	27	27	39	21	24	309
	8	Malignant neoplasm of colon, sigmoid, rectum and anus	20	16	25	20	18	17	20	21	18	18	21	18	232
	9	Dementia and Alzheimer's disease	8	11	15	12	12	13	17	16	20	29	26	42	221
	10	Malignant neoplasms of lymphoid, haematopoietic and related tissue	20	12	16	22	19	14	24	14	17	14	15	23	210
	18	Malignant neoplasm of bladder	10	12	5	8	9	10	10	8	8	7	11	8	106

Sex	Rank	Group Description	Deaths												
			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Grand Total
Females	1	Ischaemic heart diseases	147	140	165	167	124	100	105	102	105	79	73	67	1,374
	2	Cerebrovascular diseases	134	120	160	117	96	102	81	95	75	69	41	66	1,156
	3	Influenza and pneumonia	104	86	76	87	67	78	67	64	53	45	51	43	821
	4	Dementia and Alzheimer's disease	29	30	38	37	31	48	38	49	39	45	78	88	550
	5	Chronic lower respiratory diseases	42	49	35	28	27	37	45	27	35	37	37	50	449
	6	Malignant neoplasm of trachea, bronchus and lung	37	38	44	33	27	30	36	46	36	52	31	34	444
	7	Malignant neoplasms of breast	39	38	41	26	34	36	34	30	33	23	31	42	407
	8	Heart failure and complications and ill-defined heart disease	33	44	33	43	35	29	29	34	28	28	23	16	375
	9	Malignant neoplasm of colon, sigmoid, rectum and anus	24	29	21	30	13	25	22	18	16	22	19	17	256
	10	Diseases of the urinary system	14	14	18	19	17	26	24	28	22	26	15	15	238
	26	Malignant neoplasm of bladder	3	6	5	5	6	4	3	4	6	5	9	8	64

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays-on-mortality-statistics/index.html)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Suicide was defined using the International Classification of Diseases, Tenth Revision (ICD-10) codes X60-X84 and Y10-Y34 for 2001 onwards (excluding Y33.9 where the coroner's verdict was pending for the years 2001 to 2006. From 2007, deaths which were previously coded to Y33.9 are coded to U50.9).

6 Suicide figures are for persons aged 15 years and over.

7 Rankings are based on the grand total number of deaths for that cause of death

8 \* Where multiple causes of death had the same total number of deaths they share the same rank

Source: Office for National Statistics

**Top 10 leading causes of death including the ranking of Malignant neoplasm of bladder, by sex, Waltham Forest, 2001-2012** <sup>1,2,3,4,5</sup>

														<i>Deaths</i>	
<b>Sex</b>	<b>Rank</b>	<b>Group Description</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>Grand Total</b>
Males	1	Ischaemic heart diseases	222	217	196	183	146	150	142	124	140	107	99	122	1,848
	2	Cerebrovascular diseases	67	71	58	72	48	59	47	58	48	51	39	33	651
	3	Malignant neoplasm of trachea, br	60	40	50	50	50	42	54	46	50	52	49	47	590
	4	Influenza and pneumonia	70	62	69	49	67	52	34	38	33	33	29	34	570
	5	Chronic lower respiratory diseases	41	36	35	36	56	42	53	34	54	42	35	50	514
	6	Malignant neoplasm of prostate	31	28	20	27	20	22	21	10	20	31	36	31	297
	7	Malignant neoplasm of colon, sigm	16	24	20	20	19	35	13	18	18	14	21	22	240
	8	Dementia and Alzheimer's disease	16	10	19	19	12	22	12	19	11	19	37	37	233
	9	Malignant neoplasms of lymphoid,	19	22	14	17	20	21	20	13	19	16	16	14	211
	10	Cirrhosis and other diseases of liver	10	17	12	15	17	12	21	21	20	19	13	19	196
	19	Malignant neoplasm of bladder	10	18	10	9	8	10	8	5	3	7	12	10	110

														<i>Deaths</i>	
<b>Sex</b>	<b>Rank</b>	<b>Group Description</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>Grand Total</b>
Females	1	Ischaemic heart diseases	199	185	149	114	129	105	103	116	109	83	87	70	1,449
	2	Influenza and pneumonia	113	93	142	100	81	66	78	59	58	50	62	54	956
	3	Cerebrovascular diseases	110	98	100	81	90	75	77	58	74	58	52	52	925
	4	Dementia and Alzheimer's disease	32	41	42	48	42	35	34	61	34	41	78	68	556
	5*	Malignant neoplasm of trachea, br	44	44	36	33	30	35	45	24	31	38	27	39	426
	5*	Malignant neoplasms of breast	43	48	39	34	32	40	20	31	36	41	29	33	426
	7	Chronic lower respiratory diseases	31	32	20	48	30	39	37	33	30	31	38	48	417
	8	Heart failure and complications anc	31	43	31	23	22	20	27	34	19	28	16	14	308
	9	Malignant neoplasm of colon, sigm	16	32	28	30	19	26	11	23	15	7	19	15	241
	10	Diseases of the urinary system	13	20	22	25	20	19	22	25	26	15	12	20	239
		27	Malignant neoplasm of bladder	12	6	4	5	4	0	2	4	2	3	5	6

1 Based on boundaries as of August 2013

2 Figures are for deaths registered, rather than deaths occurring in each calendar year. Due to the length of time it takes to complete a coroner's inquest it can take months or even years for deaths from certain causes to be registered. More information on registration delays for a range of causes can be found on the ONS website: [www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-](http://www.ons.gov.uk/ons/guide-method/user-guidance/health-and-life-events/impact-of-registration-delays)

3 Figures exclude deaths of non-residents

4 [Underlying cause of death was defined using the International Classification of Diseases, Tenth Revision \(ICD-10\) codes in Health Statistics Quarterly 28, Winter 2005, Annex A in the following link](#)

5 Rankings are based on the grand total number of deaths for that cause of death

Source: Office for National Statistics